

P/N	COMPONENT	MAKER	PART NO.	UL NO.
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	Alphaplus	CB-AA-0006	E177865,E107536 UL94V-0 ,
'1759200161	(TF)CPU Cooler Fan.for LGA775 Pentium4 3.6G.4P.12V.Dual ball bearing.捷豐.LGA- 775-959546008	捷豐	LGA-775- 959546008	E236658,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
9681666600	(TF)Cable ASS'Y.for SBC Series	CATCH	A003-252	E144392 UL94V- 0,E108485(S) VW- 1,E132701 VW-1,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V- 0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V- 0,E101344,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH HO-BASE	A003-114 1700060192	E119932(S), E107536(M) UL94V- 0, UL2725,UL2464, E107536(M) UL94V- 0,
1701260307	(TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW- 1,E72332,E107536(M) UL94V-0,
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E10 7536(M) UL94V- 0,E209329 ULVW- 1,E107536(M) UL94V- 0,E212834,E56070(S) UL94HB,E186230,
1703030501	(TF)Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH	A003-232	E170689 VW- 1,E41797(M),E14439 2 UL94V- 0,E108485(S) VW- 1,E132701 VW- 1,E108485(S) ULVW-1,E191023,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E101344 VW- 1,E107536(M) UL94V- 0,E209436,E107536(M) UL94V-0 ,
175910000A	(TF)Buzzer.SMD.5V.80mA.90dB.KINGSTA TE.KSSGJ5D26	KINGSTATE	KSSGJ5D26	E59481,

P/N	COMPONENT	MAKER	PART NO.	UL NO.
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH	N016@0140-004	E192672,
1651612990	(TF)ZIF LGA 775 SKT.SMD.775P.FOXCONN.PE077527-1041-0D	FOXCONN	PE077527-1041-0D	E93750,
1214309002	(TF)Common Choke.4P.90 Ohm(100Mhz) 2.0*1.2mm SMD.永馳.YFD2012T#900S	永馳	YFD2012T#900S	E84081(S),
1907868G03	(TF)PCB.FSB-868G.Rev.A1.0.8Layers Green	HIPER	E224709	E224709
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1654030001	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm .W/Reinforcem.SPEED TECH.W01@103-303M	SPEED TECH	W01@103-303M	E192672,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
1655420023	(TF)ATX POWER CONNECTOR.12P*2.180D(M).DIP.W/O 1&2&12&13 pin.凱迅.1121-700-24SA	CATCH	1121-700-24SA	E132701 UL94V-0,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1750119013	(TF)Battery.DIP.3V.RAYOVAC.BR2335T3L	RAYOVAC	BR2335T3L	MH12542,
1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	HO-BASE JAV	209-2X5GS W/O 9 21N22050-10S10B-01G-4/2.8-V1-G	E54695,E52579,
1654606200	(TF)MINI DIN RECEIPT TABLE.6P.90D.(F).W/SPRING DIP.CONTEK.MAN3061F1G401	CONTEK	MAN3061F1G401	E130155(M) 94V-0,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.何迪.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,
16515C0494	(TF)DDR2 SKT.DIP.240P.(Blue).SPEED TECH.P90-P11-3018	SPEED TECH	P90-P11-3018	E44716 UL94V-0,

P/N	COMPONENT	MAKER	PART NO.	UL NO.
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.凱迅.1190-700-042	CATCH	1190-700-042	E132701 UL94V-0 ,
1653217205	(TF)BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA	CATCH	1137-000-34SA	E107536A UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVA	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
M10810A000	(TF)METAL.AL.Heat sink.For HSB-810A 37.5*37.5*20mm.兌軒.SPR373721A	兌軒.	SPR373721A	E96144,
M06866G000	(TF)Metal.AL.Heat sink.36.8*36*10.1mm.研揚字型.For BGA Package.捷豐.JF-363601	捷豐	F-363601	E41938(M) UL94V-2,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP	JVE	21B12564-XXS10B-01G-6/3 series	E107536 UL94V-0,
1652508212	(TF)PHONE JACK.8P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LU1T516-43 LF	.BOTHHAND	LU1T516-43 LF	E130155,E174837,
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1211101161	(TF)COIL.1.1uH.DIP Wire Size 2.3mm.35材 3wire 30Amp.三集瑞.LG-11AM12J19	三集瑞	LG-11AM12J19	E201575,E85640,E180908,E35586,
121110010X	(TF)COIL.1uH.Wire Size 1.3mm.1.3mm.1wire 20Amp.高創.C5052BP-12A04YDPS	GOTREND	C5052BP-12A04YDPS	E218438,E84081,
1211105672	(TF)COIL.0.56uH.20%.DIP.Wire Size 1.7mm.1wire.GOTREND.GMAS120911P-0R56M	GOTREND	GMAS120911P-0R56M	E84081,
1654907003	(TF)SATA CONNECTOR.7P.180D(M).DIP.BLUE.TECHBEST.161S01-029A-L	TECHBEST	161S01-029A-L	E130155(M) UL94V-0,

P/N	COMPONENT	MAKER	PART NO.	UL NO.
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST .161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B- 01G-4/2.8 series	E107536 UL94V-0,
1654804100	(TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).何迪.KS-001V- ANW	HO-BASE	KS-001V- ANW	E52579(M),
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱 迅.3125-000-15SB	CATCH	3125-000- 15SB	E107536(M) UL94V- 0,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011- 100	E192672,2352699(E),
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002- OPS60B-01G- Y	E107536(M) UL94V- 0,E59481,