

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110010Y	(TF)COIL.1uH.+/-25%.DCR=0.08Ohm.Idc=20A.Wire Size=0.6*3mm*7.5TS.DIP.GOTREND.C5008P-06C07YDPS	GOTREND	C5008P-06C07YDPS	E218438,
1211101161	(TF)COIL.1.1uH.DIP Wire Size 2.3mm.35材3wire 30Amp.三集瑞.LG-11AM12J19	TRIO	LG-11AM12J19	E201575,E85640,E180908,E35586,
1211105674	(TF)COIL.0.56uH.20%.DIP.35A.GOTREND.GMAT-131210-P-R56-M	GOTREND	GMAT-131210-P-R56-M	E218438 / E84081,
16515C0495	(TF)DDR2 SKT.DIP.240P.(Blue).FOXCONN.AT24017-H3L-4F	FOXCONN	AT24017-H3L-4F	E93750,
1651612992	(TF)ZIF LGA 775 SKT.SMD.775P.FOXCONN.PE077526-1041-0D	FOXCONN	PE077526-1041-0D	E93750,
1652510201	(TF)PHONE JACK.10P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LA1T109D-D43 LF	BOTHHAND	LA1T109D-D43 LF	E130155,E174837,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	Astron	27-01031XX-1G Series	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
165300420L	(TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/Cap .Astron.27-44041-204-2G-TB1R	Astron	27-44041-204-2G-TB1R	E52579(M) 94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	1=>JVE 2=>HO-BASE	1=>21N22050-10S10B-01G-4/2.8-V1-G 2=>209-2X5GS	E54695,E52579,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.CATCH. 1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1653217205	(TF)BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA	CATCH	1137-000-34SA	E107536A UL94V-0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B-01G-Y	E107536(M) UL94V-0,E59481,
1653302150	(TF)JUMPER WIRE.1*2P.180D.2.54mm DIP for 845e Heat sink	JVE	21N12564-03A10B-01G-5.4/3.1	E107536(M) UL94V-0,E59481,
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1654606100	(TF)MINI DIN.6P.90D.DIP.TechBest.DN508BS1-6-L	TechBest	DN508BS1-6-L	E59481,
1654804100	(TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).HO-BASE.KS-001V-ANW	HO-BASE	KS-001V-ANW	E52579(M),
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,
1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.CATC H.1190-700-042	CATCH	1190-700-042	E132701 UL94V-0 ,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO-BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	1=>CATCH 2=>HO-BASE	1=>A003-114 2=>@1700060192	E119952(S), E107536(M) UL94V-0, UL2725,E162747/E107526(M)
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070(S) UL94V-0,E186920
1701260307	(TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW-1,E72332,E107536(M) UL94V-0,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,
1703030501	(TF)Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH	A003-232	E170689 VW-1,E41797(M),E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,E108485(S) ULVW-1,E191023,
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	1=>Alphaplus 2=>CATCH	1=>CB-AA-0006 2=>A003-569	E177865,E107536 UL94V-0 ,E107536(M),E96118,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201.00	E107536/E206838/E188601/E56118/E97527 ,E209436,E107536(M) UL94V-0 ,
175011901H	(TF)Lithium Battery.3V.225mAH.PANASONIC.CR2032	PANASONIC	CR2032	MH12210,
1750220326	(TF)Battery Holder.CR2032.LOTES.AAA-BAT-014-K01	LOTES	AAA-BAT-014-K01	E59481,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
1759100002	(TF)Buzzer.DIP.40mA.85dB P-P=6.5mm.志豐.KCG1206-DS	KINGSTATE ELECTRONICS	KCG1206-DS	E194246 UL94V-2,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1907B94501	(TF)PCB.FSB-945G.Rev.A1.0.8Layers Green.338.58*126.39 mm	K-BRIDGE		E120558
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
9681666600	(TF)Cable ASSY.for SBC Series	CATCH	A003-252	E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,
M06866G000	(TF)Metal.AL.Heat sink.36.8*36*10.1mm.研揚 字型.For BGA Package.捷豐.JF-363601	CMT	JF-363601	E41938(M) UL94V-2,