

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/- 20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11Amp.G OTREND.GSTC063P-1R0MN	GOTREND	GSTC063P- 1R0MN	E84081,
1211101569	(TF)COIL.1.5uH.20%.DCR=3.4mOhm.Idc=23A.13.8*12. 8mm.SMD.GOTREND.GSTC135P-1R5MF	GOTREND	GSTC135P- 1R5MF	E84081,
1211102269	(TF)INDUCTOR.2.2uH.10%.SMD.2.4*1.6mm IDC=420mA.GOTREND.GNLE2012P-2R2K	GOTREND	GNLE2012P- 2R2K	E218438 / E84081,
1211102560	(TF)COIL.2.5uH.DIP.Pinlength=3.0mm.Wire Size 0.7*3Pmm.52材 3Wire*8 30Amp.震元.TC5052N-2R5M- UL	AG	TC5052N- 2R5M-UL	E197768,E20 3950,
1211105673	(TF)COIL.0.56uH.Irms=25A.Isat=40A.20%.SMD(11.5x1 0.3x4.0).2pin.RDC=1.8m Ohm.GOTREND.GSTC104P- R56MN	GOTREND	GSTC104P- R56MN	E218438 , E84081,
1211105674	(TF)COIL.0.56uH.20%.DIP.35A.GOTREND.GMAT- 131210-P-R56-M	GOTREND	GMAT- 131210-P- R56-M	E218438 / E84081,
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216P E-900T	E840811,
1651612992	(TF)ZIF LGA 775 SKT.SMD.775P.FOXCONN.PE077526-1041-0D	FOXCONN	PE077526- 1041-0D	E93750,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	Astron	27-01031XX- 1G Series	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564- XXS10B- 01G-6/3-	E107536 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	1=>JVE 2=>HO- BASE	1=>21N2205 0-10S10B- 01G-4/2.8- V1-G 2=>209-	E54695,E525 79,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.CATCH.1147- 000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1653217205	(TF)BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA	CATCH	1137-000-34SA	E107536A UL94V-0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B-01G-Y	E107536(M) UL94V-0,E59481,
1653300101	(TF)MINI JUMPER.(RED)	JVE	27S1002-OPS60B-01G-R	E107536(M) UL94V-0,E59481,
1653302150	(TF)JUMPER WIRE.1*2P.180D.2.54mm DIP for 845e Heat sink	JVE	21N12564-03A10B-01G-5.4/3.1	E107536(M) UL94V-0,E59481,
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1654606100	(TF)MINI DIN.6P.90D.DIP.TechBest.DN508BS1-6-L	TechBest	DN508BS1-6-L	E59481,
1654804100	(TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).HO-BASE.KS-001V-ANW	HO-BASE	KS-001V-ANW	E52579(M),
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.CATCH.1190-700-042	CATCH	1190-700-042	E132701 UL94V-0 ,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO-BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH	A003-114	E162747/E107536(M),

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070(S) UL94HB,E186230,
1701260307	(TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW-1,E72332,E107536(M) UL94V-0,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	1=>Alphaplus 2=>CATCH	1=>CB-AA-0006 2=>A003-569	E177865,E107536 UL94V-0 ,E107536(M),
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E107536/E206838/E188601/E56118/E97527,E209436,E107536(M) UL94V-0 ,
1750220320	(TF)Battery Holder.CR2032.LOTES.KB6615BP5L	LOTES	KB6615BP5L	E59481,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
9681666602	(TF)Cable ASSY.SBC Series.for PICMG 1.3	CATCH	A003-978	E144392 UL94V- 0,E108485(S) VW- 1,E132701 VW-1,
121110010Z	(TF)Inductor.1uH.10%.SMD.2.4*1.6mm.GOTREND.GN LE2012P-1R0K	GOTREND	GNLE2012P- 1R0K	E84081,
121110100F	(TF)Inductor.10uH.10%.SMD.2.4*1.6mm.GOTREND.G NLE2012P-100K	GOTREND.	GNLE2012P- 100K	E84081,
16515C0496	(TF)DDR3 SKT.DIP.240P.(Black).FOXCONN.ATH4017-P3B-4F	FOXCONN	ATH4017- P3B-4F	E172092 V- 0/E119177 V- 0,
165251420G	(TF)PHONE JACK.14P.90D(F).RJ45.W/TF & LED(10/100/1000Base).UDE.RDA-1A5BAK1A	UDE	RDA- 1A5BAK1A	E47960/E594 81,
165300420L	(TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/Cap.Astron.2 7-44041-204-2G-TB1R	Astron	27-44041- 204-2G- TB1R	E52579(M) 94V-0,
165392521H	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.w/Mylar.ComWeal.60328226	ComWeal	60328226	E54705(M),
175011901H	(TF)Lithium Battery.3V.225mAH.PANASONIC.CR2032	PANASONIC	CR2032	MH12210,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2- LF	E45587,
1907G41H02	(TF)PCB.FSB-G41H.Rev.A1.0_0_0.8Layers Green	K-BRIDGE		E120558
M06880M000	(TF)Metal.AL.Heat sink.36.8*36*10.1mm.研揚字型(藍 色).For BGA Package.捷豐.JF-363602	CMT	JF-363602	E41938(M) UL94V-2,