

TF-FWS-7600S2-H30-A10

Date:2008/06/11

| P/N        | DESCRIPTION                                                                             | MAKER       | PART NO.             | UL NO./ Flame Class                                  |
|------------|-----------------------------------------------------------------------------------------|-------------|----------------------|------------------------------------------------------|
| 1700091803 | (TF)Cable.D-SUB 9P(F).to D-SUB 9P(F).180cm                                              | JOHNSON     | S110612014           | E81280(S),E52534,E186513,E107536,E177713(S),E171497, |
| 1701240260 | (TF)Flat Cable.24P 2.0mm Housing.14P 2.54mm Housing.4P 2.54mm Housing.26cm.for FWS-7600 | CATCH       | A003-578             | E206838/E186075/E162747,                             |
| 1702151201 | (TF)Power Cable.4P 2.5mm Housing.15P SATA (F).12cm.for FWS-2150                         | CATCH       | A003-608             | E206838,E108485,                                     |
| 1709070200 | (TF)SATA CABLE.7P Pitch 1.27mm.180D.7P SATA Conn(F).20cm.for FWS-810                    | CATCH       | A003-435             | E107536(M),E96118,                                   |
| 1757930015 | (TF)SPS.90-264V.300W.ATX.1U(20.5cm).CABLE(20CM.Active PFC).ZIPPY.P1A-6301P              | ZIPPY       | P1A-6301P            | E143756                                              |
| 1759281010 | (TF)Fan.40x40x20mm.Cable L=300mm.SUNON.KDE1204PKVX-MS.AF.GN                             | SUNON       | KDE1204PKVX-MS.AF.GN | E77551,                                              |
| 1992666601 | (TF)Wire Mounts.Natural.品固.FW-2S-3M                                                     | PINGOOD     | FW-2S-3M             | E41938(M) UL94V-2,                                   |
| 1992666604 | (TF)Adhesive Backed Mounts.Natural.品固.AB-2-P                                            | PINGOOD     | AB-2-P               | E41938(M)                                            |
| 1992666607 | (TF)Cable Ties.Natural.品固.YJ-90                                                         | PINGOOD     | YJ-90                | E101675(N),                                          |
| 1992666608 | (TF)Cable Ties.Natural.品固.YJ-185                                                        | PINGOOD     | YJ-185               | E101675,                                             |
| M918100010 | (TF)Metal.Al+Cu.Heat Sink .207.5*188*38mm.for FWS-810/816.GlacialTech.9S-O0500000LSA1   | GlacialTech | 9S-O0500000LSA1      | E256821,                                             |

| P/N        | DESCRIPTION                                                                             | MAKER                | PART NO.                    | UL NO./ Flame Class            |
|------------|-----------------------------------------------------------------------------------------|----------------------|-----------------------------|--------------------------------|
| 1211100109 | (TF)INDUCTOR.1uH.10%.SMD 1210 DCR=0.08 ohm IDC=1.5A.高創.GNLC-3225P-1R0K                  | GOTREND              | GNLC-3225P-1R0K             | E75077(S),                     |
| 1211101161 | (TF)COIL.1.1uH.DIP Wire Size 2.3mm.35材 3wire 30Amp.三集瑞.LG-11AM12J19                     | TRIO                 | LG-11AM12J19                | E201575,E85640,E180908,E35586, |
| 1211101264 | (TF)COIL.1.2uH.20%.DIP Wire Size.1.8mm 18材 3wire 20Amp.TRIO.LG-12AM11C03                | TRIO                 | LG-12AM11C03                | E85640,E35586,E201757,E180908, |
| 1211106802 | (TF)COIL.0.68uH.+/- 20%.SMD.13.8*12.8*3.5mm.DCR=2.5m Ohm.Idc=28A.GOTREND.GSTC133P-R68MF | GOTREND              | GSTC133P-R68MF              | E84081,                        |
| 1214309006 | (TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm                                            | GOTREND              | GTHW2012PE-900T             | E218438 / E84081,              |
| 1651203291 | (TF)IC SKT PLCC.SMD.32P(9P*7P).PRECIP-DIP(LEASONIC).PLCC-L-32F-9-D                      | PRECIP-DIP(LEASONIC) | PLCC-L-32F-9-D              | E53829,                        |
| 16515C0492 | (TF)DDR2 SKT.DIP.240P.FOXCONN.AT24017-H3B-4F                                            | FOXCONN              | AT24017-H3B-4F              | E93750,                        |
| 16515C0495 | (TF)DDR2 SKT.DIP.240P.(Blue).FOXCONN.AT24017-H3L-4F                                     | FOXCONN              | AT24017-H3L-4F              | E93750,                        |
| 1651612992 | (TF)ZIF LGA 775 SKT.SMD.775P.FOXCONN.PE077526-1041-0D                                   | FOXCONN              | PE077526-1041-0D            | E93750,                        |
| 1653002100 | (TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP                                                 | JVE                  | 21B12564-XXS10B-01G-6/3     | E107536 UL94V-0,               |
| 1653003100 | (TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP                                                 | Astron               | 27-01031XX-1G               | E107536 UL94V-0,               |
| 1653004200 | (TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP                                                 | JVE                  | 21B22564-XXS10B-01G-6/3-VXX | E107536 UL94V-0,               |
| 1653004211 | (TF)PIN HEADER.4*2P.90D.(M).2.54mm.DIP.                                                 | JVE                  | 21B22564-XXD10B-01G-6/3/1.5 | E107536 UL94V-0,               |
| 1653005200 | (TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP                                                 | JVE                  | 21B22564-XXS10B-01G-6/3-VXX | E107536 UL94V-0,               |
| 1653205203 | (TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-10S                                  | CATCH                | 1147-000-10S                | E132701 UL94V-0 ,              |
| 1653212203 | (TF)BOX HEADER.12*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-24S                                 | CATCH                | 1147-000-24S                | E132701 UL94V-0,               |
| 1653220208 | (TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA               | CATCH                | 1137-020-40SA               | E107536(A) UL94V-0,            |

TF-FWS-7600S2-H30-A10(9697760002-DIP)

Date:2008/06/11

| P/N        | DESCRIPTION                                                                                           | MAKER        | PART NO.                    | UL NO./ Flame Class           |
|------------|-------------------------------------------------------------------------------------------------------|--------------|-----------------------------|-------------------------------|
| 1653300100 | (TF)MINI JUMPER.(YELLOW)                                                                              | JVE          | 27S1002-OPS60B-01G-Y        | E107536(M)<br>UL94V-0,E59481, |
| 1653302150 | (TF)JUMPER WIRE.1*2P.180D.2.54mm DIP for 845e Heat sink                                               | JVE          | 21N12564-03A10B-01G-5.4/3.1 | E107536(M)<br>UL94V-0,E59481, |
| 1653925216 | (TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-104+N01P4011-0099 | SPEED TECH   | N016@0140-104+N01P4011-0099 | E192672,                      |
| 1654262300 | (TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F                                              | FOXCONN      | AS0B126-S99N-4F             | E93750 UL94V-0,               |
| 1654282205 | (TF)SLOT PCI EXPRESS.82*2P.180D(F).DIP.Edge mount.CATCH.3126-5P10203T                                 | CATCH        | 3126-5P10203T               | E90350,                       |
| 1654907003 | (TF)SATA CONNECTOR.7P.180D(M).DIP.BLUE.TECHBEST.161S01-029A-L                                         | TECHBEST     | 161S01-029A-L               | E130155(M)<br>UL94V-0,        |
| 1655003120 | (TF)Wafer.3P.90D.(M).W/LOCK.2.54mm.致威.24W1160-03R10-01T                                               | JVE          | 24W1160-03R10-01T           | E48674 UL94V-2,               |
| 1655004011 | (TF)WAFER.4P.180D.(M).2.5mm.W/LOCK POWER DIP.何迪.P201-04                                               | HO-BASE      | P201-04                     | E94662(T),E48285C,            |
| 1655008120 | (TF)WAFER BOX.8Pin.90D.(M).Pitch=2.5mm.W/LOCK DIP.JIH VEI.24W1171-08R10-01T                           | JIH VEI      | 24W1171-08R10-01T           | E44716,                       |
| 1655404020 | (TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S                                                 | CATCH        | 1121-700-04S                | E132701<br>UL94V-0,           |
| 1655424020 | (TF)ATX POWER CONNECTOR.12P*2.180D(M).DIP.凱迅.1121-700-                                                | CATCH        | 1121-700-24S                | E132701<br>UL94V-0,           |
| 175011901H | (TF)Lithium Battery.3V.225mAh.PANASONIC.CR2032                                                        | PANASONIC    | CR2032                      | MH12210,                      |
| 1750220320 | (TF)Battery Holder.CR2032.LOTES.KB6615BP5L                                                            | OTES         | KB6615BP5L                  | E59481,                       |
| 1752310000 | (TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2                                                   | TYCO         | miniSMDC110F-2              | E74889,                       |
| 1759100002 | (TF)Buzzer.DIP.40mA.85dB P-P=6.5mm.志豐.KCG1206-DS                                                      | KINGSTATE    | KCG1206-DS                  | E194246<br>UL94V-2,           |
| 1907760002 | (TF)PCB.FWB-7600.Rev.A1.0.6Layer Green                                                                | EVERLAST WIN |                             | E216522 V-0                   |
| M06880M000 | (TF)Metal.AL.Heat sink.36.8*36*10.1mm.研揚字型(藍色).For BGA Package.捷豐.JF-363602                           | CMT          | JF-363602                   | E41938(M)<br>UL94V-2,         |

TF-FWS-7600S2-H30-A10(9697C30L01-DIP)

Date:2008/06/11

| P/N        | DESCRIPTION                                                                 | MAKER        | PART NO.          | UL NO./ Flame Class    |
|------------|-----------------------------------------------------------------------------|--------------|-------------------|------------------------|
| 1214309006 | (TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm                                | GOTREND      | GTHW2012PE-900T   | E218438 / E84081,      |
| 1304414610 | (TF)LED.5V.3<br>\$.G/G/R&G/G.LEN00.L5146HGGSRGWGD40                         | LENOO        | L5146HGGSRGWGD40  | E41938 V-2,            |
| 1601110201 | (TF)Push Button Switch.4P.DIP.12V DC.50mA.威<br>祈.1102VB                     | SWITCHTECH   | 1102VB            | E164708 / E41797,      |
| 165251220B | (TF)PHONE JACK.12P.90D.(F).DIP.RJ45 with<br>LED.XMULTIPLE.XRJM-S-01-8-8-W29 | XMULTIPLE    | XRJM-S-01-8-8-W29 | E222840,               |
| 165440910B | (TF)D-SUB<br>CONNECTOR.9P.90D(M).DIP.Green.Astron.DB6A-<br>09-AMGN1-R       | Astron       | DB6A-09-AMGN1-R   | E59481,                |
| 1654808304 | (TF)USB CONNECTOR DUAL<br>PORT.8P.90D.(F).for USB2.0.CONTEK.UFL2443-        | CONTEK       | UFL2443-F1-01     | E130155(M)<br>UL94V-0, |
| 1751300002 | (TF)RELAY.5VDC.2A.DIP.DPST.NEC.EC2-5NU                                      | NEC          | EC2-5NU           | E73266,                |
| 1752310000 | (TF)PolySwitch.8V.1.1A(Max<br>40A).TYCO.miniSMDC110F-2                      | TYCO         | miniSMDC110F-2    | E74889,                |
| 1907C30L01 | (TF)PCB.PER-C30L.Rev.A0.2.6Layer Green                                      | EVERLAST WIN |                   | E216522 V-0            |

TF-FWS-7600S2-H30-A10(9697T07802)

Date:2008/06/11

| P/N        | DESCRIPTION                                            | MAKER        | PART NO.       | UL NO./ Flame Class |
|------------|--------------------------------------------------------|--------------|----------------|---------------------|
| 1654260207 | (TF)SLOT.60*2P.180D.(F).DIP.FOXCONN.EH0600<br>1-HHW-DF | FOXCONN      | EH06001-HHW-DF | E172082,E9375<br>0, |
| 1907T07801 | (TF)PCB.PER-T078.Rev.A1.0.4Layers Green                | EVERLAST WIN |                | E216522 V-0         |