

| TF-FWS-810W6-H25-A10 |                                                                                       |             |                                     | Date:2007/05/03                                                      |
|----------------------|---------------------------------------------------------------------------------------|-------------|-------------------------------------|----------------------------------------------------------------------|
| P/N                  | DESCRIPTION                                                                           | MAKER       | PART NO.                            | UL NO./<br>Flame Class                                               |
| 1653007200           | (TF)PIN HEADER.7*2P.180D.(M).2.54mm.DIP                                               | JVE         | 21B22564-<br>XXS10B-01G-6/3-<br>VXX | E107536<br>UL94V-0,                                                  |
| 1700091803           | (TF)Cable.D-SUB 9P(F).to D-SUB 9P(F).180cm                                            | Johnson     | 1700091803                          | E81280(S),E5<br>2534,E18651<br>3,E107536,E1<br>77713(S),E17<br>1497, |
| 1701140140           | (TF)Flat Cable.14P-14P.2.54mm Pitch.140mm                                             | CATCH       | A003-437                            | E144392 /<br>E162747,                                                |
| 1701240330           | (TF)FLAT Cable.24P-24P.2.0mm Pitch.33cm                                               | CATCH       | A003-438                            | E186075,E16<br>2747,                                                 |
| 1702151200           | (TF)Power Cable.4P 2.54mm Housing(F).15P SATA Conn(F).12cm                            | CATCH       | A003-436                            | E206838,E10<br>8485,E75050,                                          |
| 1709070200           | (TF)SATA CABLE.7P Pitch 1.27mm.180D.7P SATA Conn(F).20cm.for FWS-810                  | CATCH       | A003-435                            | E107536(M),<br>E96118,                                               |
| 1757325004           | (TF)SPS.ATX.100-240V.250W.ATX.1U(20.5cm).Active PFC.SPI(全漢).FSP250-601U               | SPI         | FSP250-601U                         | E190414,                                                             |
| 1759281010           | (TF)Fan.40x40x20mm.Cable L=300mm.SUNON.KDE1204PKVX-MS.AF.GN                           | SUNON       | KDE1204PKVX-<br>MS.AF.GN            | E77551,                                                              |
| 1992666601           | (TF)Wire Mounts.Natural.品固.FW-2S-3M                                                   | PINGOOD     | FW-2S-3M                            | E41938(M)<br>UL94V-2,                                                |
| 1992666604           | (TF)Adhesive Backed Mounts.Natural.品固.AB-2-P                                          | PINGOOD     | AB-2-P                              | E41938(M)<br>UL94V-2,                                                |
| 1992666607           | (TF)Cable Ties.Natural.品固.YJ-90                                                       | PINGOOD     | YJ-90                               | E101675(N),                                                          |
| 1992666608           | (TF)Cable Ties.Natural.品固.YJ-185                                                      | PINGOOD     | YJ-185                              | E101675                                                              |
| M918100010           | (TF)Metal.Al+Cu.Heat Sink .207.5*188*38mm.for FWS-810/816.GlacialTech.9S-O0500000LSA1 | GlacialTech | 9S-<br>O0500000LSA1                 | E256821,                                                             |
| P408100000           | (TF)Plastic.PC.LCM PLATE.Rev.0.0.for FWS-810                                          | KUAN 1      | P408100000                          | E50075,                                                              |

| TF-FWB-810 Rev.A1.0 |                                                                                         |            |                             |                                | Date:2007/05/03 |
|---------------------|-----------------------------------------------------------------------------------------|------------|-----------------------------|--------------------------------|-----------------|
| P/N                 | DESCRIPTION                                                                             | MAKER      | PART NO.                    | UL NO./<br>Flame Class         |                 |
| 1211100109          | (TF)INDUCTOR.1uH.10%.SMD 1210 DCR=0.08 ohm IDC=1.5A.高創.GNLC-3225P-1R0K                  | GOTREND    | GNLC-3225P-1R0K             | E75077(S),                     |                 |
| 1211101062          | (TF)COIL.1uH.20%.DCR=35mOhm.Idc=3.34A.3.5*3.0mm.SMD.GOTREND.GSDR32P-1R0M                | GOTREND    | GSDR32P-1R0M                | E84081,                        |                 |
| 1211101161          | (TF)COIL.1.1uH.DIP Wire Size 2.3mm.35材 3wire 30Amp.三集瑞.LG-11AM12J19                     | TRIO       | LG-11AM12J19                | E201575,E85640,E180908,E35586, |                 |
| 1211102267          | (TF)COIL.2.2uH.20%.DCR=23mOhm.Idc=5.3A.7.8*7.0mm.SMD.GOTREND.GSDR75P-2R2M               | GOTREND    | GSDR75P-2R2M                | E84081,                        |                 |
| 1211103367          | (TF)COIL.3.3uH 6.4A.20%.SMD.永馳.YC0804#3R3MS                                             | YOUTH      | YC0804#3R3MS                | E201757,                       |                 |
| 1211106802          | (TF)COIL.0.68uH.-/+20%.SMD.13.8*12.8*3.5mm.DCR=2.5m Ohm.Idc=28A.GOTREND.GSTC133P-R68MF  | GOTREND    | GSTC133P-R68MF              | E84081,                        |                 |
| 1214309002          | (TF)Common Choke.4P.90 Ohm(100Mhz) 2.0*1.2mm SMD.永馳.YFD2012T#900S                       | YOUTH      | YFD2012T#900S               | E84081(S),                     |                 |
| 1304414610          | (TF)LED.5V.3 \$ .G/G/R&G/G.LENOO.L5146HGGSRGWGD40                                       | LENOO      | L5146HGGSRGWGD40            | E41938 V-2,                    |                 |
| 1601110201          | (TF)Push Button Switch.4P.DIP.12V DC.50mA.威祈.1102VB                                     | SWITCHTECH | 1102VB                      | E164708 / E41797,              |                 |
| 1651592492          | (TF)DDR SKT.184P.DIP.FOXCONN.AT09211-D5-4F                                              | FOXCONN    | AT09211-D5-4F               | E93750,                        |                 |
| 1651608990          | (TF)ZIF mPGA478B SKT.SMD.for PENTIUM 4.FOXCONN.2D25616-2747-01                          | FOXCON     | 2D25616-2747-01             | E93750<br>UL94V-0,             |                 |
| 165251220B          | (TF)PHONE JACK.12P.90D.(F).DIP.RJ45 with LED.XMULTIPLE.XRJM-S-01-8-8-W29                | XMULTIPLE  | XRJM-S-01-8-8-W29           | E222840,                       |                 |
| 1653003100          | (TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP                                                 | Astron     | 27-01031XX-1G Series        | E107536<br>UL94V-0,            |                 |
| 1653003200          | (TF)PIN HEADER.3*2P.180D.(M).2.54mm.DIP                                                 | JVE        | 21B22564-XXS10B-01G-6/3-VXX | E107536<br>UL94V-0,            |                 |
| 1653004200          | (TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP                                                 | JVE        | 21B22564-XXS10B-01G-6/3-VXX | E107536<br>UL94V-0,            |                 |
| 1653005200          | (TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP                                                 | JVE        | 21B22564-XXS10B-01G-6/3-VXX | E107536<br>UL94V-0,            |                 |
| 1653008100          | (TF)PIN HEADER.8*1P.180D.(M).2.54mm.DIP                                                 | JVE        | 21B12564-XXS10B-01G-6/3     | E107536<br>UL94V-0,            |                 |
| 1653008200          | (TF)PIN HEADER.8*2P.180D.(M).2.54mm.DIP                                                 | JVE        | 21B22564-XXS10B-01G-6/3-VXX | E107536<br>UL94V-0,            |                 |
| 1653205203          | (TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-10S                                  | CATCH      | 1147-000-10S                | E132701<br>UL94V-0 ,           |                 |
| 1653212203          | (TF)BOX HEADER.12*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-24S                                 | CATCH      | 1147-000-24S                | E132701<br>UL94V-0 ,           |                 |
| 1653220208          | (TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA               | CATCH      | 1137-020-40SA               | E107536(A)<br>UL94V-0,         |                 |
| 1653300100          | (TF)MINI JUMPER.(YELLOW)                                                                | JVE        | 27S1002-OPS60B-01G-Y        | E107536(M)<br>UL94V-0,E59481,  |                 |
| 1653900034          | (TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100            | SPEED TECH | N003@0011-100               | E192672,2352699(E),            |                 |
| 1653925216          | (TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004 | SPEED TECH | N016@0140-004               | E192672,                       |                 |
| 1654262300          | (TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F                                | FOXCONN    | AS0B126-S99N-4F             | E93750<br>UL94V-0,             |                 |

| TF-FWB-810 Rev.A1.0 |                                                                             |               |                 |                        | Date:2007/05/03 |
|---------------------|-----------------------------------------------------------------------------|---------------|-----------------|------------------------|-----------------|
| P/N                 | DESCRIPTION                                                                 | MAKER         | PART NO.        | UL NO./<br>Flame Class |                 |
| 165440910B          | (TF)D-SUB CONNECTOR.9P.90D(M).DIP.Green.Astron.DB6A-09-AMGN1-R              | Astron        | DB6A-09-AMGN1-R | E59481,                |                 |
| 1654808304          | (TF)USB CONNECTOR DUAL PORT.8P.90D.(F).for USB2.0.CONTEK.UFL2443-F1-01      | CONTEK        | UFL2443-F1-01   | E130155(M)<br>UL94V-0, |                 |
| 1654907003          | (TF)SATA CONNECTOR.7P.180D(M).DIP.BLUE.TECHBEST.161S01-029A-L               | TECHBEST      | 161S01-029A-L   | E130155(M)<br>UL94V-0, |                 |
| 1655003010          | (TF)WAFER.3P.180D.(M).2.54mm.DIP.凱迅.1190-700-03S                            | CATCH         | 1190-700-03S    | E119177(M)<br>UL94V-0, |                 |
| 1655004011          | (TF)WAFER.4P.180D.(M).2.5mm.W/LOCK POWER DIP.何迪.P201-04                     | HO BASE       | P201-04         | E94662(T),E<br>48285C, |                 |
| 1655404020          | (TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S                       | CATCH         | 1121-700-04S    | E132701<br>UL94V-0,    |                 |
| 1655424020          | (TF)ATX POWER CONNECTOR.12P*2.180D(M).DIP.凱迅.1121-700-24S                   | CATCH         | 1121-700-24S    | E132701<br>UL94V-0,    |                 |
| 1750119011          | (TF)BATTERY.3V.200mA.SONY.CR2032                                            | SONY          | CR2032          | MH12566,               |                 |
| 1750220320          | (TF)Battery Holder.CR2032.LOTES.KB6615BP5L                                  | OTES          | KB6615BP5L      | E59481,                |                 |
| 1751300002          | (TF)RELAY.5VDC.2A.DIP.DPST.NEC.EC2-5NU                                      | NEC           | EC2-5NU         | E73266,                |                 |
| 1752310000          | (TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2                         | TYCO          | miniSMDC110F-2  | E74889,                |                 |
| 1759100002          | (TF)Buzzer.DIP.40mA.85dB P-P=6.5mm.志豐.KCG1206-DS                            | KINGSTETE     | KCG1206-DS      | E194246<br>UL94V-2,    |                 |
| 1907B81002          | (TF)PCB.FWB-810.Rev.A1.0.6Layers Green                                      | HIPER         |                 | E224709                |                 |
| M06880M000          | (TF)Metal.AL.Heat sink.36.8*36*10.1mm.研揚字型(藍色).For BGA Package.捷豐.JF-363602 | CMT           | JF-363602       | E41938(M)<br>UL94V-2,  |                 |
| M10810A000          | (TF)METAL.AL.Heat sink.For HSB-810A 37.5*37.5*20mm.兌軒.SPR373721A            | SPRING SPREAD | SPR373721A      | E96144,                |                 |