

TF-FWS-816W8-H25-A10				Date:2007/05/03
P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653007200	(TF)PIN HEADER.7*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1700091803	(TF)Cable.D-SUB 9P(F).to D-SUB 9P(F).180cm	Johnson	1700091803	E81280(S),E52554, E186513,E107536, E177713(S),E17149 7
1701140140	(TF)Flat Cable.14P-14P.2.54mm Pitch.140mm	CATCH	A003-437	E144392 / E162747,
1701240330	(TF)FLAT Cable.24P-24P.2.0mm Pitch.33cm	CATCH	A003-438	E186075,E162747,
1702151200	(TF)Power Cable.4P 2.54mm Housing(F).15P SATA Conn(F).12cm	CATCH	A003-436	E206838,E108485, E75050,
1709070200	(TF)SATA CABLE.7P Pitch 1.27mm.180D.7P SATA Conn(F).20cm.for FWS-810	CATCH	A003-435	E107536(M),E9611 8,
1757925008	(TF)SPS.100/240V.250W.ATX.1U(20cm).Active PFC.ZIPPY.H1U-6250P	ZIPPY	H1U-6250P	E143756,
1759281600	(TF)Fan.40x40x28mm.Cable L=300mm.SUNON.GM1204PQV1-8AF.GN	SUNON	GM1204PQV1-8AF.GN	E77551,
1992666601	(TF)Wire Mounts.Natural.品固.FW-2S-3M	PINGOOD	FW-2S-3M	E41938(M) UL94V-2,
1992666607	(TF)Cable Ties.Natural.品固.YJ-90	PINGOOD	YJ-90	E101675(N),
1992666608	(TF)Cable Ties.Natural.品固.YJ-185	PINGOOD	YJ-185	E101675
M918100010	(TF)Metal.Al+Cu.Heat Sink .207.5*188*38mm.for FWS-810/816.GlacialTech.9S-O0500000LSA1	GlacialTec	9S-O0500000LSA	E256821,
P408100000	(TF)Plastic.PC.LCM PLATE.Rev.0.0.for FWS-810	KUAN 1	P408100000	E50075,

FWB-816.Rev.A1.0				Date:2007/05/03
P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211101161	(TF)COIL.1.1uH.DIP Wire Size 2.3mm.35材 3wire 30Amp.三集瑞.LG-11AM12J19	TRIO	LG-11AM12J19	E201575,E85640,E180908,E35586,
1211101264	(TF)COIL.1.2uH.20%.DIP Wire Size.1.8mm 18材 3wire 20Amp.TRIO.LG-12AM11C03	TRIO	LG-12AM11C03	E85640,E35586,E201757,E180908,
1211106802	(TF)COIL.0.68uH.+-20%.SMD.13.8*12.8*3.5mm.DCR=2.5m Ohm.Idc=28A.GOTREND.GSTC133P-R68MF	GOTREND	GSTC133P-R68MF	E84081,
1214309002	(TF)Common Choke.4P.90 Ohm(100Mhz) 2.0*1.2mm SMD.永馳.YFD2012T#900S	YOUTH	YFD2012T#900S	E84081(S),
1304414610	(TF)LED.5V.3 ϕ .G/G/R&G/G.LENOO.L5146HGGSRGWGD40	LENOO	L5146HGGSRGWGD40	E41938 V-2,
1601110201	(TF)Push Button Switch.4P.DIP.12V DC.50mA.威祈.1102VB	SWITCHTECH	1102VB	E164708 / E41797,
16515C0492	(TF)DDR2 SKT.DIP.240P.FOXCONN.AT24017-H3B-4F	FOXCONN	AT24017-H3B-4F	E93750,
1651612992	(TF)ZIF LGA 775 SKT.SMD.775P.FOXCONN.PE077526-1041-0D	FOXCONN	PE077526-1041-0D	E93750,
165251220B	(TF)PHONE JACK.12P.90D.(F).DIP.RJ45 with LED.XMULTIPLE.XRJM-S-01-8-8-W29	XMULTIPLE	XRJM-S-01-8-8-W29	E222840,
1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP	JVE	21B12564-XXS10B-01G-6/3	E107536 UL94V-0,
1653003200	(TF)PIN HEADER.3*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653005200	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0,
1653208200	(TF)BOX HEADER.8*2P.180D.(M).2.54mm.DIP.凱迅.1137-000-16S	CATCH	1137-000-16S	E107536(M) UL94V-0,
1653212203	(TF)BOX HEADER.12*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-24S	CATCH	1147-000-24S	E132701 UL94V-0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B-01G-Y	E107536(M) UL94V-0,E59481,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699(E),
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH	N016@0140-004	E192672,

FWB-816.Rev.A1.0				Date:2007/05/03
P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
165440910B	(TF)D-SUB CONNECTOR.9P.90D(M).DIP.Green.Astron.DB6A-09-AMGN1-R	Astron	DB6A-09-AMGN1-R	E59481,
1654808304	(TF)USB CONNECTOR DUAL PORT.8P.90D.(F).for USB2.0.CONTEK.UFL2443-F1-01	CONTEK	UFL2443-F1-01	E130155(M) UL94V-0,
1654907003	(TF)SATA CONNECTOR.7P.180D(M).DIP.BLUE.TECHBEST.161S01-029A-L	TECHBEST	161S01-029A-L	E130155(M) UL94V-0,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.凱迅.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655004011	(TF)WAFER.4P.180D.(M).2.5mm.W/LOCK POWER DIP.何迪.P201-04	HO BASE	P201-04	E94662(T),E48285 C,
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.凱迅.1190-700-042	CATCH	1190-700-042	E132701 UL94V-0 ,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1655424020	(TF)ATX POWER CONNECTOR.12P*2.180D(M).DIP.凱迅.1121-700-24S	CATCH	1121-700-24S	E132701 UL94V-0,
1750119011	(TF)BATTERY.3V.200mA.SONY.CR2032	SONY	CR2032	MH12566,
1750220320	(TF)Battery Holder.CR2032.LOTES.KB6615BP5L	OTES	KB6615BP5L	E59481,
1751300002	(TF)RELAY.5VDC.2A.DIP.DPST.NEC.EC2-5NU	NEC	EC2-5NU	E73266,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
1759100002	(TF)Buzzer.DIP.40mA.85dB P-P=6.5mm.志豐.KCG1206-DS	KINGSTETE	KCG1206-DS	E194246 UL94V-2,
1907B81602	(TF)PCB.FWB-816.Rev.A1.0.6Layers Green	HIPER		E224709
M06880M000	(TF)Metal.AL.Heat sink.36.8*36*10.1mm.研揚字型(藍色).For BGA Package.捷豐.JF-363602	CMT	JF-363602	E41938(M) UL94V-2,
M10810A000	(TF)METAL.AL.Heat sink.For HSB-810A 37.5*37.5*20mm.兌軒.SPR373721A	SPRING SPREAD	SPR373721	E96144,