

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
121110100R	(TF)COIL.10uH.20%.DCR=21.6mOhm.Idc=5.4A.12x12x8mm.SMD.GOTREND.GSDRH-127-P-T-100M	GOTREND	GSDRH-127-P-T-100M	E218438/E84081,
121110106A	(TF)COIL.1.0uH.20%.SMD.3.85x3.85x1.8mm.DCR=30mΩ.GOTREND.GTSD32P-1R0M.IDC=1.8Amp	GOTREND	GTSD32P-1R0M	E258243,
1211105262	(TF)INDUCTOR.5.2uH.30%.SMD 10*10*3.8mm.Gotrend.GSSR2-104P-5R2N	Gotrend	GSSR2-104P-5R2N	E84081,
1652512207	(TF)PHONE JACK.12P.90D(F).RJ45 W/Transformer & LED.SPEED TECH.P26@P04-1DC7	SPEED TECH	P26@P04-1DC7	E47960 UL94V-0,
1652602105	(TF)TERMINAL.2P*1.90D(M).DIP.Pitch=5.0mm.BLOCK.w/ L(+)&R(-) MARK.DINKLE.DT-126VP-S2016002P	DINKLE	DT-126VP-S2016002P	E102914,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8 series	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8 series	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8 series	E107536 UL94V-0,
1653004201	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8 series	E107536 UL94V-0,
1653007200	(TF)PIN HEADER.7*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX series	E107536 UL94V-0,
1653206204	(TF)BOX HEADER.6*2P.180D.(M).2.0mm.W/Cap SMD.Astron.26-4304-206-1G-TB1-R	Astron	26-4304-206-1G-TB1-R	E52579,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
1654040002	(TF)Board-Wire Connector.40P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.億舟.0110-01-553-400	E-call	0110-01-553-400	E113875,
1654226300	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68N-7F	FOXCONN	AS0B226-S68N-7F	E93750,
1654262305	(TF)MINIPCI SLOT.124P.90D(F).SMD.H=5.2mm.FOXCONN.AS0B126-S52N-4F	FOXCONN	AS0B126-S52N-4F	E93750,
1654409103	(TF)D-SUB CONNECTOR.9P.90D.(M).5.00mm.(MINI SIZE) for RS-232 DIP.何迪.DRD-9P	HO-BASE	DRD-9P	E95981,
1654415305	(TF)D-SUB Connector.15P.90D(F)DIP.Slim Type.Blue.Astron.HDLH-B15-CFHN1T-1-R	Astron	HDLH-B15-CFHN1T-1-R	E103155(M) UL94V-0,
1654804309	(TF)USB CONNECTOR.4P.90D.(F).Type B.TechBest.KS-001-BNW-L	TechBest	KS-001-BNW-L	E59481,
1654808201	(TF)USB CONNECTOR DUAL PORT.8P.90D(M).Techbest.KS-002-AB-L	Techbest	KS-002-AB-L	E107536(M) UL94V-0,
1654903900	(TF)SIM CARD READER Connector.3P*2.ASTRON.5190006-007-R	ASTRON	5190006-007-R	E91944,
1654908303	(TF)SDIO Connector.8PIN.90D.(F).SMD.ATTEND.112C-TBAR-R02	ATTEND	112C-TBAR-R02	E106764,
1654912303	(TF)SDIO Connector.90D.(F).SMD.Astron.54-2108-9-R	Astron	54-2108-9-R	E118289,
1655302020	(TF)WAFER BOX.2P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-02S	CATCH	1192-700-02S	E132701 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655307022	(TF)WAFER BOX.7P.180D.(M).2.0mm.DIP.HO-BASE.2001-WS-07-LF	HO-BASE	2001-WS-07-LF	E182056,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
1655904031	(TF)Wafer Box.4P.180D.(M).SMD.1.0mm.w/ CAP.CATCH.1204-700-04MR	CATCH	1204-700-04MR	E52579(M) 94V-0,
1655909031	(TF)WAFER BOX.9P.180D(M).DIP.1.25mm.CATCH.1201-700- 09S	CATCH	1201-700-09S	E41938 V-2,
1655910131	(TF)WAFER BOX.10P.180D.(M).1.25mm.CATCH.1201-700-10S	CATCH	1201-700-10S	E41938 V-2,
1655920010	(TF)WAFER.20*1P.180D(M).SMD.1.0mm.CATCH. 1204-700-20SMP	CATCH	1204-700- 20SMP	E52579,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8- LF	MH12568(N),E 255532,
1752001500	(TF)Fuse.SMD.125V.3A.Slo-Blo.6.10mm*2.69mm. 德永.R452003.MRL	LITTELFUSE	R452003.MRL	E10480
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110 WR	Littlefuse	1206L110WR	E183209,
1907135002	(TF)PCB.GENE-1350.Rev.A0.3.8Layers Green	ALLIED CIRCUIT		E171522
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.INVIN	INVIN	PAD 15*15*1T	E153203,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,