

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
1211100163	(TF)INDUCTOR.0.1uH.SMD.3%.2.1x1.5mm.Hi-Q Value.Idc=4.24A.GOTREND.GTLQH20P-R10K	GOTREND	GTLQH20P-R10K	E84081,
1211103362	(TF)INDUCTORS.3.3uH 6.5A.20%.SMD 2pin.AG.SMTDR105N-3R3M	AG	SMTDR105N-3R3M	E197768,
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216PE-900T	E840811,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1652512207	(TF)PHONE JACK.12P.90D(F).RJ45 W/Transformer & LED.SPEED TECH.P26@P04-1DC7	SPEED TECH	P26@P04-1DC7	E47960 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	1=>JVE 2=>WAFE PRECISE INSTRUMENT	1=>21B22050-XXS10B-01G-4/2.8 2=>1220-1203SNS08701	E107536 UL94V-0,
1653004202	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-204-1G-TB1-R	Astron	27-24041-204-1G-TB1-R	E52579(M) UL94V-0,
1653004302	(TF)PIN HEADER.3*4P.180D.(M).2.0mm.DIP.Astron.27-2103-403-1G-R	Astron	27-2103-403-1G-R	E52579(M) UL94V-0,E109088(M) UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005202	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.SMD.W/CAP.Astron.27-24041-205-1G-TB1-R	Astron	27-24041-205-1G-TB1-R	E52579(M) UL94V-0,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653007204	(TF)PIN HEADER.7*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-207-1G-TB1-R	Astron	27-24041-207-1G-TB1-R	E52579(M) UL94V-0,
1653013202	(TF)PIN HEADER.13*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-213-1G-TB1-R	Astron	27-24041-213-1G-TB1-R	E52579(M) UL94V-0,
1653017201	(TF)PIN HEADER.17*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-217-1G-TB1-R	Astron	27-24041-217-1G-TB1-R	E52579(M) UL94V-0,
1653022202	(TF)PIN HEADER.22*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-222-1G-TB1-R	Astron	27-24041-222-1G-TB1-R	E52579(M) UL94V-0,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>HO BASE 2=>WAFE PRECISE INSTRUMENT	1=>MJ-2.0B 2=>3711-3501OSNB	E59481 UL94V-0,E248993 UL V94-0/E107536,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699 (E),
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH	N016@0140-004	E192672,
1654040001	(TF)Board-Wire Connector.40P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.SPEED TECH.W01@103-403M	SPEED TECH	W01@103-403M	E192672,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
1654409103	(TF)D-SUB CONNECTOR.9P.90D.(M).5.00mm.(MINI SIZE) for RS-232 DIP.何迪.DRD-9P	HO BASE	DRD-9P	E95981,
1654415308	(TF)D-SUB CONNECTOR.15P.90D(F).DIP.SLIM TYPE.BLUE.ASTRON.1760015-051-R	ASTRON	1760015-051-R	E59481,
1654606306	(TF)MINI-DIN.6P.90D.(F).Receptacle.DIP Slim Type.Artron.13-4101-6-1T-R	Artron	13-4101-6-1T-R	E45587(R) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
1655003023	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK.DIP.何迪.2503-WS-3	HO BASE	2503-WS-3	E107536(M) UL94V-0,
1655306020	(TF)WAFER BOX.6P.180D.(M).2.0mm.W/LOCK DIP.凱迅.1192-700-06SA	CATCH	1192-700-06SA	E132701 UL94V-0,
1656304020	(TF)HOUSING.4P.180D.(M).5.08mm.W/O LOCK.何迪.5082-WS-4	HO BASE	5082-WS-4	E53898 UL94V-0,E44716 UL94V-2,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	1=>CATCH 2=>HO BASE	1=>A003-114 2=>1700060192	E119932(S), E107536(M) UL94V-0, UL2725,UL2464, E107536(M) UL94V-0,
1700080180	(TF)Cable RCA JACK.4P MINI DIN JACK.8P 2.0mm HOUSING W/O NOSE.18cm.for TV-OUT&S-Terminal.凱迅.A003-013	CATCH	A003-013	E107536(M) UL94V-0, E54979(S),
1700140164	(TF)Cable.14P 2.0mm Housing RCA JACK*8.16cm.for Audio 5.1CH & SPD/IF	CATCH	A003-071	E107536(M) 94V-0 / E108458,
1700140510	(TF)CABLE.4P/2.54 HOUSING RCA JACK*3.14P/2.0 HOUSING.51cm.for AUDIO I/O	1=>CATCH 2=>HO BASE	1700140510	E77981,E41396(S), E107536(M) UL94V-0,E144392 UL94V-0,E107536(M) UL94V-0,
1701100206	(TF)Flat Cable.9P DB 9P MALE.10P 2.00mm Pitch Housing.20cm	1=>CATCH 2=>HO BASE	1=>A003-152 2=>1701100206	UL2651 VW-1,E107536(M) UL94V-0,UL2651 VW-1,E144392 UL94V-0,E107536(M) UL94V-0,
1701260200	(TF)Flat Cable.25P D-SUB FEMALE.26P 2.00mm Pitch Housing.20cm	1=>CATCH 2=>HO BASE	1=>A003-268 2=>1701260200	E209329,E107536(M) UL94V-0,
1701340600	(TF)Flat Cable.34P/2.0mm Pitch/HOUSING.34P/2.54mm Pitch/IDC NO FOLD.60cm	CATCH	A002-010	UL2651 VW-1,E72332,E107536(M) UL94V-0,UL2651 VW-1,E186230,E107536(M) UL94V-0,E186230,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame
1701440500	(TF)Flat Cable.44P 2.0mm Pitch Housing.40P 2.54mm Pitch IDC.40P 2.54mm Pitch IDC.30+20cm	1=>CATCH 2=>HO BASE	1=>A002-012 2=>1701440500	UL2651 VW-1,E107536(M) UL94V-0,E72332,E107536(M) UL94V-0,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	1=>CATCH 2=>HO BASE	1=>1709100201 2=>1709100201	E101344 VW-1,E107536(M) UL94V-0,E209436,E107536(M) UL94V-0 ,
1752001600	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WRT	Littlefuse	1206L110WRT	E183209 ,
1759100006	(TF)Buzzer.SMD.3.3V.80mA.90dB.KINGSTATE.KSSGJ4D20	KINGSTATE	KSSGJ4D20	E59481,
1907635008	(TF)PCB.GENE-6350.Rev.A2.0.8Layers Green	K-BRIDGE		E120558 UL94V-0,
16515A0993	(TF)DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426-E6SN-4F	FOXCONN	AS0A426-E6SN-4F	E93750,
175011901E	(TF)Lithium Battery.DIP.3V.240mAH.MITSUBISHI.CR2032HD12A	MITSUBISHI	CR2032HD12A	MH21249,
P106666250	(TF)Plastic.mylar.LAN Port 36*26 t=0.25mm.for GENE Series	KUAN 1		E74359,