

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211100113	(TF)INDUCTOR.10uH.10%.SMD.0805.DCR=0.85ohm.IDC=360mA.ZenithTek.ZWP-0805-100K	ZenithTek	ZWP-0805-100K	E143312,
121110106G	(TF)COIL.1uH.20%.SMD.7.1*6.6*3.0mm.DCR=9mohm.Idc=11Amp.Zenithtek.ZPWM-6030M-1R0M	Zenithtek	ZPWM-6030M-1R0M	E84081,
121110156K	(TF)COIL.1.5uH.20%.SMD.7.1x6.6x3.0mm.DCR=14mohm.Idc=9Amp.ZenithTek.ZPWM-6030M-1R5M	ZenithTek	ZPWM-6030M-1R5M	E84081,
121110336Y	(TF)COIL.3.3uH.20%.SMD.11.5x10.5x4.0mm.DCR=10.8mohm.Idc=10Amp.ZenithTek.ZPWM-1040MB-3R3M	ZenithTek	ZPWM-1040MB-3R3M	E84081,
121110476Q	(TF)INDUCTOR.4.7uH.10%.SMD.0805.DCR=0.43ohm.IDC=520mA.ZenithTek.ZWP-0805-4R7K	ZenithTek	ZWP-0805-4R7K	E143312,
1211106874	(TF)COIL.0.68uH.±20%.SMD.7.1*6.6*3.0mm.DCR=5mΩ.Irms=15.5Amp.ZenithTek.ZPWM-6030M-R68M	ZenithTek	ZPWM-6030M-R68M	E84081,
1214309008	(TF)Common Choke.90Ω (100Mhz).4P.2.0*1.2mm.SMD.Zenithtek.ZHS-0805CM2-900T	Zenithtek	ZHS-0805CM2-900T	E188164,E79028,
1214309009	(TF)Common Choke.90Ω (100Mhz).4P.2.0*1.2mm.SMD.Zenithtek.ZHS-0805CM3-900T	Zenithtek	ZHS-0805CM3-900T	E188164,E79028,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch with Flag.RICHTEK.RT9702A-GB	RICHTEK	RT9702A-GB	E219878,
16515A2991	(TF)DDR3 SODIMM SKT.SMD.H=6.0mm.204P.REVERSE.1.5V.FOXCONN.AS0A626-JER6-7H	FOXCONN	AS0A626-JER6-7H	E54705,
1651609883	(TF)ZIF rPGA988B SKT.988P.for Sandybridge.FOXCONN.PZ98826-362B-01H	FOXCONN	PZ98826-362B-01H	E93750,
165251420B	(TF)PHONE JACK.14P.90D.(F).RJ45.W/TF & LED(10/100/1000Base).UDE.RT7-17FAAM1A	UDE	RT7-17FAAM1A	E47960/E59481,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1652602105	(TF)TERMINAL.2P*1.90D(M).DIP.Pitch=5.0mm.BLOCK.w / L(+)&R(-) MARK.DINKLE.DT-126VP-S2016002P	DINKLE	DT-126VP- S2016002P	E102914,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
165320520G	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.W/Cap.Narrow Frame.SMD.Astron.26-4401-205-1G-1-R	Astron	26-4401-205- 1G-1-R	E52579,
1653212100	(TF)BOX Header.12*1P.180D(M).SMD.1.0mm.CATCH.1204-700- 12SMP.	CATCH	1204-700- 12SMP.	E52579(M),
165321320G	(TF)BOX HEADER.13*2P.180D(M).2.0mm.DIP.Astron.26- 4101-213-1G-R	Astron	26-4101-213- 1G-R	E52579,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>HO- BASE 2=>JVE	1=>MJ-2.0B 2=>27S1001- OPS35-01G	E59481 UL94V- 0,E248993 UL V94- 0/E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-OPS35- 01G-R	JIH VEI	27S1001- OPS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040- 02	CATCH	1133-040-02	E107536(M),
165390003B	(TF)CFast Header.1.27mm.Right Push Ejector.3M.7G24B5A6-05-DY	3M	7G24B5A6- 05-DY	E54705,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653924110	(TF)CFast Header.24*1P.90D.SMD.1.27mm pitch.3M.N7G24-A0B2RA-10-0HT-DY	3M	N7G24-A0B2RA-10-0HT-DY	E54705,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem .E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654226303	(TF)MiniCard SLOT.52P.90D.(F).SMD.FOXCONN.AS0B226-S68Q-7H	FOXCONN	AS0B226-S68Q-7H	E54705,
1654409103	(TF)D-SUB CONNECTOR.9P.90D.(M).5.00mm.(MINI SIZE) for RS-232 DIP.何迪.DRD-9P	HO-BASE	DRD-9P	E95981,
1654445300	(TF)D-SUB DVI+CRT connector.45P.90D(F).DIP.Astron.1860044-006-R	Astron	1860044-006-R	E109088(M), E59481,
1654818301	(TF)USB3.0 CONNECTOR.DUAL PORT.18P.90D(F).Contek.UDNFA199N-AY-21-A	Contek	UDNFA199N-AY-21-A	E130155,
1654907004	(TF)SATA CONNECTOR.7P.180D(M).DIP.ASTRON.97-0912HA-7-R	ASTRON	97-0912HA-7-R	E47960,
1654926900	(TF)MINIPCI express.clip.SMD.Right.PORT.FOXCONN.AS0B226-S68K-7 F	FOXCONN	AS0B226-S68K-7 F	E93750,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
1655302020	(TF)WAFER BOX.2P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-02S	CATCH	1192-700-02S	E132701 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655306020	(TF)WAFER BOX.6P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-06SA	CATCH	1192-700-06SA	E132701 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655306023	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP.何迪.2005-2WS-6	HO-BASE	2005-2WS-6	E107538(M),
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,
1655906033	(TF)Wafer Box.6P.180D.(M).SMD.1.0mm.w/CAP.CATCH.1204-700-06SMR	CATCH	1204-700-06SMR	E52579(M) 94V-0,
1655909031	(TF)WAFER BOX.9P.180D(M).DIP.1.25mm.CATCH.1201-700-09S	CATCH	1201-700-09S	E41938 V-2,
1655909032	(TF)Wafer Box.9P.180D.(M).SMD.1.0mm.w/CAP.CATCH.1204-700-09SMR	CATCH	1204-700-09SMR	E52579(M) 94V-0,
1655910131	(TF)WAFER BOX.10P.180D.(M).1.25mm.CATCH.1201-700-10S	CATCH	1201-700-10S	E41938 V-2,
175011901M	(TF)BATTERY.3V.w/Wire 110mm.MITSUBISHI.CR2032-HAT00(MLF)	MITSUBISHI	CR2032-HAT00(MLF)	MH21249,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
17592QM670	(TF)CPU Cooler.FAN+Heat Sink.60*60*22.6mm.for GENE-QM67.C&C.CEFF0760602207-00	C&C	CEFF0760602207-00	E132003,
1907QM7712	(TF)PCB.GENE-QM67.Rev.A1.0_1_0.Rev.A1.0_0_0.8Layers Green.1x1.146mm x 101.6mm x 1.8mm	L-Bridge		E120558
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.INVIN	INVIN	15*15*1T	E153203,