

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/- 20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11Amp. p.GOTREND.GSTC063P-1R0MN	GOTREND	GSTC063P-1R0MN	E84081,
121110476V	(TF)COIL.4.7uH.20%.SMD.3.85x3.85x1.8mm.DCR=146Ω IDC=1.1A.ZenithTek.ZSJ-3020S-4R7M	ZenithTek	ZSJ-3020S-4R7M	E258243,
1211106872	(TF)COIL.0.68uH.SMD.7.3*6.8*3.0mm.+/- 20%.DCR=5mohm.Irms=15.5Amp.GOTREND.GSTC063P-R68MN	GOTREND	GSTC063P-R68MN	E214423
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE-900T	E218438 / E84081,
16515A099X	(TF)DDR3 SODIMM SKT.SMD.H=9.2mm.204P.STANDARD.1.5V.FOXC ONN.AS0A626-JASG-7H	FOXCONN	AS0A626-JASG-7H	E54705,
16515A099Y	(TF)DDR3 SODIMM SKT.SMD.H=5.2mm.204P.REVERSE.1.5V.FOXCO NN.AS0A626-N2RN-7H	FOXCONN	AS0A626-N2RN-7H	E54705,
1652510202	(TF)PHONE JACK.10P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LA1T109D-A- D43 LF	BOTHHAND	LA1T109D-A-D43 LF	E174837,E221000, E59481,E130155,
1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP	JVE	21B12564-XXS10B-01G-6/3	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
165300420L	(TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/Cap.Astron.27-44041-204-2G-TB1R	Astron	27-44041-204-2G-TB1R	E52579(M) 94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005202	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.SMD.W/CAP.Astron.27-24041-205-1G-TB1-R	Astron	27-24041-205-1G-TB1-R	E52579(M) UL94V-0,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	1=>HO-BASE 2=>JVE	1=>.209-2X5GS W/O 9 2=>21N22050-10S10B-01G-4/2.8-V1-G	E54695,E52579,
1653213207	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.W/Cap SMD.凱迅.1147-000-26MP	CATCH	1147-000-26MP	E132701 UL94V-0 ,
165322020I	(TF)BOX HEADER.20*2P W/O PIN20.180D.(M).2.54mm.SMD W/Cap.Astron.26-03-220-1G-ATB1-R	Astron	26-03-220-1G-ATB1-R	E-52579 (M) UL94V-0 ,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B-01G-Y	E107536(M) UL94V-0,E59481,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>HO-BASE 2=>JVE	1=>MJ-2.0B 2=>27S1001-OPS35-01G	E59481 UL94V-0,E248993 UL V94-0/E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-OPS35-01G-R	JIH VEI	27S1001-OPS35-01G-R	E59481,
165392521H	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.w/Mylar.ComWeal.60328226	ComWeal	60328226	E54705(M),

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Rein forcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱迅.3125- 000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1654606100	(TF)MINI DIN.6P.90D.DIP.TechBest.DN508BS1-6- L	TechBest	DN508BS1-6-L	E59481,
1654804100	(TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).HO-BASE.KS-001V- ANW	HO-BASE	KS-001V-ANW	E52579(M),
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01 -025A	TECHBEST	161S01-025A	E204143 UL94V- 0,
1655004014	(TF)WAFER.4P.180D.(M).2.54mm.DIP.CATCH.119 0-700-042	CATCH	1190-700-042	E132701 UL94V- 0 ,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO- BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V- 0,E44716 UL94V- 2,
1655204022	(TF)ATX Power Connector.4Pin.180D.DIP.CATCH.1200-700-04S	CATCH	1200-700-04S	E53898,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V- 0,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH	A003-114	E162747/E107536 (M),

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070(S) UL94HB,E186230
1701260307	(TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW-1,E72332,E107536(M) UL94V-0,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,
1703030501	(TF)Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH	A003-232	E170689 VW-1,E41797(M),E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,E108485(S) ULVW-
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	1=>Alphaplus 2=>CATCH	1=>CB-AA-0006 2=>A003-569	E177865,E107536 UL94V-0 ,E107536(M),E96118,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E107536/E206838/ E188601/E56118/ E97527,E209436, E107536(M) UL94V-0 ,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N),E255532,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907H52502	(TF)PCB.HSB-525I.Rev.A1.0_0_0.8Layers Green	ALLIED CIRCUITS		E171522
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.INVIN	INVIN	PAD 15*15*1T	E153203,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
9681666600	(TF)Cable ASSY.for SBC Series	CATCH	A003-252	E144392 UL94V-0,E108485(S) VW-1,E132701
M166666007	(TF)Metal.AI.Heat Sink.Silver.60*60*25.4mm.for BGA Chip set.Rev.B.百翔.CMFF0260602512-00	C&C	CMFF0260602512-00	E125972,E199993,