

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110010T	(TF)COIL.1uH 3.8A.+/-20%.SMD.AG.SMTDR43N-1R0M	AG	SMTDR43N-1R0M	E197768 ,
121110336L	(TF)COIL.3.3uH.SMD.7.3*6.8*3.0mm.DCR=28m ohm.Irms=6Amp.GOTREND.GSTC063P-3R3MN	GOTREND	GSTC063P-3R3MN	E84081,
121110476G	(TF)COIL.4.7uH.+/-20%.SMD.7.3*6.8*3.0mm.DCR=37mohm.Irms=5.5Amp.GOTREND.GSTC063P-4R7MN	GOTREND	GSTC063P-4R7MN	E84081,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI-DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F-9-D	E53829,
16515A0993	(TF)DDR SODIMM SKT.SMD.200P.H=6.5mm.2.5V.FOXCONN.AS0A426-E6SN-4F	FOXCONN	AS0A426-E6SN-4F	E93750,
165251420C	(TF)PHONE JACK.14P.90D (F).RJ45 W/TF & LED(10/100 LAN).UDE.RT1-165ABB1A	UDE	RT1-165ABB1A	E47960/E59481
1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP	JVE	21B12564-XXS10B-01G-	E107536 UL94V-0,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	Astron	27-01031XX-1G	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	1=>JVE 2=>HO-BASE	1=>21N22050-10S10B-01G-4/2.8-V1-G 2=>209-2X5GS	E54695,E52579 ,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.CATCH. 1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱 迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1653217205	(TF)BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA	CATCH	1137-000-34SA	E107536A UL94V-0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002- OPS60B-01G-Y	E107536(M) UL94V- 0,E59481,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>JVE 2=>HO-BASE	1=>27S1001- OPS35-01G 2=>MJ-2.0B	E59481 UL94V- 0,E248993 UL V94- 0/E107536,
165392521H	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.w/Mylar.ComWeal.60328226	ComWeal	60328226	E54705(M),
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm. W/Reinforcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
165440910B	(TF)D-SUB CONNECTOR.9P.90D(M).DIP.Green.Astron.D B6A-09-AMGN1-R	Astron	DB6A-09- AMGN1-R	E59481,
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱 迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1654606100	(TF)MINI DIN.6P.90D.DIP.TechBest.DN508BS1-6-L	TechBest	DN508BS1-6-L	E59481,
1654907006	(TF)SATA CONNECTOR.7P.180D(M).DIP.ASTRON.97- 0905HB-7-R	ASTRON	97-0905HB-7-R	E106764,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATC H.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO-BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1656304022	(TF)HOUSING.4P.180D.(M).5.08mm.W/O LOCK.何迪.5082A-WS-4	HO-BASE	5082A-WS-4	E53898 UL94V-0,E44716 UL94V-2,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH	A003-114	E162747/E107536(M),
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332,E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070(S) UL94HB,E186230,
1701260307	(TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW-1,E72332,E107536(M) UL94V-0,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1703030501	(TF)Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH	A003-232	E170689 VW-1,E41797(M),E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,E108485(S) ULVW-1,E191023,
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	1=>Alphaplus 2=>CATCH	1=>CB-AA-0006 2=>A003-569	E177865,E107536 UL94V-0 ,E107536(M),E96118,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E107536/E206838/E188601/E56118/E97527,E209436,E107536(M) UL94V-0 ,
175011901H	(TF)Lithium Battery.3V.225mAH.PANASONIC.CR2032	PANASONIC	CR2032	MH12210,
1750220326	(TF)Battery Holder.CR2032.LOTES.AAA-BAT-014-K01	LOTES	AAA-BAT-014-K01	E59481,
1759100002	(TF)Buzzer.DIP.40mA.85dB P-P=6.5mm.志豐.KCG1206-DS	KINGSTATE	KCG1206-DS	E194246 UL94V-2,
1907B80002	(TF)PCB.HSB-800P.Rev.A1.0.8Layers Green	ALLIED CIRCUIT		E171522,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
M16540I000	(TF)Metal.Al.Heat Sink.41.4*43.7*6.TF-PFM-540I.兌軒.SPR04106BT01	SPRING SPREAD	SPR04106BT01	E41938,