

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/- 20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11 Amp.GOTREND.GSTC063P-1R0MN	GOTREND	GSTC063P- 1R0MN	E84081,
1211103367	(TF)COIL.3.3uH 6.4A.20%.SMD.永 馳.YC0804#3R3MS	YOUTH	YC0804#3R3 MS	E201757,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE -900T	E218438 / E84081,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI- DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F- 9-D	E53829,
1651609990	(TF)ZIF mPGA479M SKT.SMD.for PENTIUM- M.FOXCONN.PZ47913-2741-01	FOXCONN	PZ47913- 2741-01	E93750,
1652508212	(TF)PHONE JACK.8P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LU1T516- 43 LF	BOTHHAND	LU1T516-43 LF	E130155,E17483 7,
1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP	JVE	21B12564- XXS10B-01G-	E107536 UL94V-0,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G-	E107536 UL94V-0,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	ASTRON	27-01031XX- 1G Series	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564- XXS10B-01G-	E107536 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G-	E107536 UL94V-0,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	1=>JVE 2=>HO- BASE	1=>21N22050 -10S10B- 01G-4/2.8- V1-G	E54695,E52579,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B- 01G-4/2.8	E107536 UL94V-0,
1653017205	(TF)PIN HEADER.17*2P.180D.(M).W/O PIN5.2.54mm.DIP.凱迅.1130-010-34SA	CATCH	1130-010- 34SA	E107536(M),
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP. 凱迅.1147-000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP. 凱迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020- 40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002- OPS60B- 01G-Y	E107536(M) UL94V- 0,E59481,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653300101	(TF)MINI JUMPER.(RED)	JVE	27S1002-OPS60B-01G-R	E107536(M) UL94V-0,E59481,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699(E),
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-104+N01P4011-0099	SPEED TECH	N016@0140-104+N01P4011-0099	E192672,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/R einforcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1654606200	(TF)MINI DIN RECEPT TABLE.6P.90D.(F).W/SPRING DIP.CONTEK.MAN3061F1G401	CONTEK	MAN3061F1G401	E130155(M) 94V-0,
1654804100	(TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).何迪.KS-001V-ANW	HO-BASE	KS-001V-ANW	E52579(M),
1654907002	(TF)SATA CONNECTOR.7P.180D(M).DIP.TECHBEST.161S01-025A	TECHBEST	161S01-025A	E204143 UL94V-0,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO-BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DIP.W/O 1&2&11 pin.CATCH.1121-700-20SA	CATCH	1121-700-20SA	E132701 UL94V-0,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	1=>CATCH 2=>HO-BASE	1=>A003-114 2=>@1700060192	E119932(S), E107536(M) UL94V-0, UL2725,UL2464, E107536(M) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2651,E72332, E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070(S) UL94HB,E186230,
1701260307	(TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW-1,E72332,E107536(M) UL94V-0,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,
1703030501	(TF)Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH	A003-232	E170689 VW-1,E41797(M),E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,E108485(S) ULVW-1,E191023,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E107536/E206838/E188601/E56118/E97527,E209436,E107536(M) UL94V-0 ,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
1759200156	(TF)CPU Cooler FAN + Heat Sink.3P 12V 60*60*23mm.for MPC-8890.菲林.D6012A610HB	DATAGUARD	D6012A610HB	E199993,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
9681666600	(TF)Cable ASSY.for SBC Series	CATCH	A003-252	E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110010R	(TF)COIL.1.0uH.SMD.12.9*12.9*5mm.DCR=2.1m ohm.Idc=29Amp.VISHAY.HLP5050EZER1R0M01	VISHAY	HLP5050EZER1R0M01	E32638,
121110010S	(TF)COIL.1.0uH.SMD.6.5*6.5*3mm.DCR=9m ohm.Idc=11Amp.VISHAY.IHLP2525CZRZ1R0M01	VISHAY	IHLP2525CZRZ1R0M01	E32638,
16515A0993	(TF)DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426-E6SN-4F	FOXCONN	AS0A426-E6SN-4F	E93750,
16515A0995	(TF)DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426-E6RN-4F	FOXCONN	AS0A426-E6RN-4F	E93750/E93750,
175011901J	(TF)Battery.DIP.3V.225mAH.Panasonic.CR2032-1GU	Panasonic	CR2032-1GU	MH12210,
175910000A	(TF)Buzzer.SMD.5V.80mA.90dB.KINGSTATE.KSSGJ5D26	KINGSTATE	KSSGJ5D26	E59481,
1907813S13	(TF)PCB.HSB-813S.Rev.A1.1.8Layers Green	K-BRIDGE		E120558,
M16811P000	(TF)Metal.AL.Heat Sink.36.8*36*10.1mm.研揚字型(銀本色..For FCBGA Package.捷豐.JF-363603	CMT	JF-363603	E41938(M) UL94V-2,