

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211103367	(TF)COIL.3.3uH 6.4A.20%.SMD.永 馳.YC0804#3R3MS	YOUTH	YC0804#3R3MS	E201757,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE- 900T	E218438 / E84081,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI- DIP(LEASONIC).PLCC-L-32F-9-D	PRECI- DIP(LEASON IC)	PLCC-L-32F-9-D	E53829,
1651592492	(TF)DDR SKT.184P.DIP.FOXCONN.AT09211-D5-4F	FOXCONN	AT09211-D5-4F	E93750,
1651608990	(TF)ZIF mPGA478B SKT.SMD.for PENTIUM 4.FOXCONN.2D25616-2747-01	FOXCONN	2D25616-2747- 01	E93750 UL94V-0,
1652508212	(TF)PHONE JACK.8P.90D.(F).RJ45 W/Transformer & LED.BOTHHAND.LU1T516-43 LF	BOTHHAND	LU1T516-43 LF	E130155,E174837,
1653002100	(TF)PIN HEADER.2*1P.180D.(M).2.54mm.DIP	JVE	21B12564- XXS10B-01G-6/3	E107536 UL94V-0,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564- XXS10B-01G- 6/3-VXX	E107536 UL94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	1=>JVE 2=>HO-BASE	1=>21N22050- 10S10B-01G- 4/2.8-V1-G 2=>@165300520	E54695,E52579,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.凱	CATCH	1147-000-10S	E132701 UL94V-0 ,
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱 迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1653217205	(TF)BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA	CATCH	1137-000-34SA	E107536A UL94V- 0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002- OPS60B-01G-Y	E107536(M) UL94V-0,E59481,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653900035	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-210	SPEED TECH	N003@0011-210	E235269
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004+N01P4011-0099	SPEED TECH	N016@0140-004+N01P4011-0099	E192672,
1654515308	(TF)D-SUB H/D CONNECTOR.15P.90D.(F).Blue.DIP.凱迅.3125-000-15SB	CATCH	3125-000-15SB	E107536(M) UL94V-0,
1654606200	(TF)MINI DIN RECEIPT TABLE.6P.90D.(F).W/SPRING DIP.CONTEK.MAN3061F1G401	CONTEK	MAN3061F1G401	E130155(M) 94V-0,
1654804101	(TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).良勸.KS-001VF-ANW-L	TechBest	KS-001VF-ANW-L	E90350 UL94V-0,
1654907006	(TF)SATA CONNECTOR.7P.180D(M).DIP.ASTRON.97-0905HB-7-R	ASTRON	97-0905HB-7-R	E106764,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH H.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO-BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP.凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-0,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	1=>CATCH 2=>HO-BASE	1=>A003-114 2=>@1700060192	E119932(S), E107536(M) UL94V-0, UL2725,UL2464, E107536(M) UL94V-0,
1701100305	(TF)Flat Cable.9P/DB9P MALE.10P/2.0mm Pitch/IDC NO FOLD.30cm.W/BRACKET	CATCH	A002-014	UL2051,E72552,E107536(M) UL94V-0,E209329 ULVW-1,E107536(M) UL94V-0,E212834,E56070 (S) UL94V-0,E186220

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1701260307	(TF)Flat Cable.9P/DB9P MALE&25P DB25P FEMALE.10P 2mm&26P 2mm/IDC NO FOLD.30cm.W/BKT.凱迅.A002-015	CATCH	A002-015	UL2651 VW-1,E72332,E107536 (M) UL94V-0,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V-0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V-0,E101344,
1703030501	(TF)Wire.3P 2.5mm Housing.3P 2.5mm Housing.50cm	CATCH	A003-232	E170689 VW-1,E41797(M),E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,E108485(S) ULVW-1,E191023,
1709070780	(TF)SATA CABLE.7P Pitch 1.27mm.78cm	CATCH	A003-217	E119932,E179065 VW-1,E118289 UL94V-0,E101344,E83005 (M) UL94V-0,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E101344 VW-1,E107536(M) UL94V-0,E209436,E107536(M) UL94V-0 ,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.兪軒.PAD 15*15*1T	SPRING SPREAD	PAD 15*15*1T	E153203,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-
9681666600	(TF)Cable ASSY.for SBC Series	CATCH	A003-252	E144392 UL94V-0,E108485(S) VW-1,E132701 VW-1,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N),E255532,
175910000A	(TF)Buzzer.SMD.5V.80mA.90dB.KINGSTATE E.KSSGJ5D26	KINGSTATE	KSSGJ5D26	E59481,
1907835P02	(TF)PCB.HSB-835P.Rev.A1.1.10Layers Green	HIPER		E224709
M13835A000	(TF)Heat sink.BLACK.38*31*25mm.HSB-835A.亞晶.ACE-CM378C1-383125-BLACK	ACE	ACE-CM378C1-383125-BLACK	E41938,