

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/- 20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11Am p.GOTREND.GSTC063P-1R0MN	GOTREND	GSTC063P- 1R0MN	E84081,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE -900T	E218438 / E84081,
16515A0997	(TF)DDR2 SODIMM SKT.SMD.200P.H=6.5mm.1.8V.FOXCONN.AS0A4 26-N6RN-4F	FOXCONN	AS0A426- N6RN-4F	E93750,
1652510204	(TF)PHONE JACK.10P.90D.(F).RJ45 W/Transformer & LED.WING- SPAN.7CRJR081020003A-G	WING-SPAN	7CRJR081020 003A-G	E59481,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653004200	(TF)PIN HEADER.4*2P.180D.(M).2.54mm.DIP	JVE	21B22564- XXS10B-01G- 6/3-VXX	E107536 UL94V-0,
1653004201	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
165300420L	(TF)PIN HEADER.4*2P.180D.(M).1.27mm.SMD.W/Cap.Astr on.27-44041-204-2G-TB1R	Astron	27-44041-204- 2G-TB1R	E52579(M) 94V-0,
1653005201	(TF)PIN HEADER.5*2P.180D.(M).2.0mm.DIP	JVE	21B22050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653005205	(TF)PIN HEADER.5*2P.180D.(M).W/O PIN9 2.0mm.DIP	1=>JVE 2=>HO-BASE	1=>21N22050- 10S10B-01G- 4/2.8-V1-G 2=>209- 2X5GS	E54695,E5257 9,
1653006101	(TF)PIN HEADER.6*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653205203	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.DIP.CATCH.1147- 000-10S	CATCH	1147-000-10S	E132701 UL94V-0 ,
1653210201	(TF)BOX HEADER.10*2P.180D.(M).2.0mm.W/Cap SMD.CATCH.1147-000-20MP	CATCH	1147-000- 20MP	E132701 UL94V-0 ,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653213203	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.DIP.凱迅.1147-000-26S	CATCH	1147-000-26S	E132701 UL94V-0 ,
1653217205	(TF)BOX HEADER.17*2P.180D.(M).2.54mm.DIP W/O PIN5.凱迅.1137-000-34SA	CATCH	1137-000-34SA	E107536A UL94V-0,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B-01G-Y	E107536(M) UL94V-0,E59481,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>JVE 2=>HO-BASE	1=>27S1001-OPS35-01G 2=>MJ-2.0B	E59481 UL94V-0,E248993 UL V94-0/E107536,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-OPS35-01G-R	JIH VEI	27S1001-OPS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040-02	CATCH	1133-040-02	E107536(M),
165392521H	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for Type II.w/Mylar.ComWeal.60328226	ComWeal	60328226	E54705(M),
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
165451530D	(TF)D-SUB H/D CONNECTOR.15P.90D(F).Blue.DIP.WING-SPAN.7CHDR150620006A-G	WING-SPAN	7CHDR150620006A-G	E171666,
1654606100	(TF)MINI DIN.6P.90D.DIP.TechBest.DN508BS1-6-L	TechBest	DN508BS1-6-L	E59481,
1654804103	(TF)USB CONNECTOR SINGLE PORT.Upright.4P.90D(M).WING-SPAN.7CUSTA40920009A-G	WING-SPAN	7CUSTA40920009A-G	E59481,
1654907008	(TF)SATA CONNECTOR.7P.180D(M).DIP.WING-SPAN.7CATT071000001A-G	WING-SPAN	7CATT071000001A-G	E91944 V-0,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1655003022	(TF)WAFER BOX.3P.180D.(M).2.5mm.W/LOCK DIP.凱迅.1191-700-03S	CATCH	1191-700-03S	E119177(M) UL94V-0 ,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOCK.DIP.HO- BASE.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V- 0,E44716 UL94V-2,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655404020	(TF)ATX POWER CONNECTOR.2P*2.180D.DIP. 凱迅.1121-700-04S	CATCH	1121-700-04S	E132701 UL94V-0,
1700060192	(TF)Cable.6P-6P-6P.19cm.IVORY PS2/KB&Mouse	CATCH	A003-114	E162747/E107 536(M),
1701200301	(TF)Flat Cable.9P DB9P MALE.10P 2.0mm Pitch*2.30cm.IDC NO FOLD.W/BRACKET	CATCH	A003-582	E239299/E144 392/E238846/ E162747,
1701340704	(TF)Flat Cable.34P.70cm.GRAY for FDD	CATCH	A003-246	E107536(M) UL94V- 0,UL2651 VW-1,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-100	CATCH	B016-009-2	E107536(M) 94V- 0,E101344,
1709070800	(TF)SATA CABLE.7P Pitch 1.27mm.80cm.W/Lock	1=>Alphaplus 2=>CATCH	1=>CB-AA- 0006 2=>A003-569	E177865,E107 536 UL94V-0 ,E107536(M), E96118,
1709100201	(TF)Usb Cable.20cm2.0mm.W/Bracket	CATCH	1709100201	E107536/E206 838/E188601/ E56118/E9752 7,E209436,E10 7536(M) UL94V-0 ,
175011901H	(TF)Lithium Battery.3V.225mAH.PANASONIC.CR2032	PANASONIC	CR2032	MH12210,
1750220320	(TF)Battery Holder.CR2032.LOTES.KB6615BP5L	LOTES	KB6615BP5L	E59481,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110WR	Littlefuse	1206L110WR	E183209,
1752310000	(TF)PolySwitch.8V.1.1A(Max 40A).TYCO.miniSMDC110F-2	TYCO	miniSMDC110F-2	E74889,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
1907945P02	(TF)PCB.HSB-945P.Rev.A1.1.8Layers Green	K-BRIDGE		E120558
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
M10810A000	(TF)METAL.AL.Heat sink.For HSB-810A 37.5*37.5*20mm.兎軒.SPR373721A	SPRING SPREAD	SPR373721A	E96144,