

TF-MPC-8890-A10

DATE:2006/06/05

P/N	COMPONENT	MAKER	PART NO.	UL NO.
9657666600	(TF)Accessory.for All Series	CATCH	9657666600	E107536(M) 94V-0,
1701400453	(TF)Cable.40P 2.54mm IDC W/Nose W/Fold.40P 2.54mm IDC W/Nose W/Fold.45cm.Blue ATA-	CATCH	1701400453	E107536(M) 94V-0,E101344,
1701340600	(TF)Flat Cable.34P/2.0mm Pitch/HOUSING.34P/2.54mm Pitch/IDC NO FOLD.60cm	CATCH	1701340600	UL2651 VW-1,E72332,E107536(M) UL94V-0,UL2651 VW- 1,E186230,E107536(M) UL94V- 0,E186230,
1701100207	(TF)Flat Cable.9P DB-SUB Male.10P 2.00mm Pitch Housing.20cm.For PCM-5335(有凸	CATCH	1701100207	UL2651 VW-1,E107536(M) UL94V- 0,E72332,
1709070500	(TF)SATA CABLE.7P Pitch 1.27mm.50cm	CATCH	1709070500	E107536 UL94V-0,E177882 VW- 1,E74020 VW-1,E101344,E83005(M) UL94V-0,
1702150150	(TF)Power Cable.15P SATA(F).4P 5.08mm Housing.15cm	CATCH	1702150150	E107536(M) UL94V- 0,E108485(S),E108485(S),E132701,E98 652(S),
1700140164	(TF)Cable.14P 2.0mm Housing RCA JACK*8.16cm.for Audio 5.1CH & SPD/IF	CATCH	1700140164	E107536(M) 94V-0 / E108458,
1700080180	(TF)Cable RCA JACK.4P MINI DIN JACK.8P 2.0mm HOUSING W/O NOSE.18cm.for TV-OUT&S- Terminal.凱迅.A003-013	CATCH	1700080180	E107536(M) UL94V-0, E54979(S),
1759200156	(TF)CPU Cooler FAN + Heat Sink.3P 12V 60*60*23mm.for MPC-8890.菲林.D6012A610HA	DATAGUAR D	D6012A610H A	E199993,
P90657B000	(TF)Plastic.Nylon.CF Disk Cover.for SBC-657-B	BASF	A3K	E41871
1759100006	(TF)Buzzer.SMD.3.3V.80mA.90dB. KINGSTATE.KSSGJ4D20	KINGSTATE	KSSGJ4D20	E59481 UL94V-0,
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH	N016@0140- 004	E192672,
1653205201	(TF)BOX HEADER.5*2P.180D.(M).2.0mm. W/Cap SMD.凱迅.1147-000-10MP	CATCH	1147-000- 10MP	E132701 UL94V-0 ,
1653207201	(TF)BOX HEADER.7*2P.180D.(M).2.0mm. W/Cap SMD.凱迅.1147-000-14MP	CATCH	1147-000- 14MP	E132701 UL94V-0 ,
1653217209	(TF)BOX HEADER.17*2P.180D.(M).2.0mm. W/Cap SMD.凱迅.1147-000-34MP	CATCH	1147-000- 34MP	E132701 UL94V-0 ,

P/N	COMPONENT	MAKER	PART NO.	UL NO.
1653004202	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.S MD.W/Cap.Astron.27-24041-204- 1G-TB1-R	Astron	27-24041-204- 1G-TB1-R	E52579(M) UL94V-0,
1653003202	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.S MD.W/Cap.Astron.27-24041-203- 1G-TB1-R	Astron	27-24041-203- 1G-TB1-R	E52579 UL94V-0,E391376 UL94V-0,
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE- 900T	GOTREND	GTHW3216PE -900T	E840811
1211103362	(TF)INDUCTORS.3.3uH 6.5A.20%.SMD 2pin.AG.SMTDR105N-3R3M	AG	SMTDR105N- 3R3M	E197768,
1211103360	(TF)INDUCTOR.3.3uH.+/- 30%.DCR=0.040Ohm.Idc=3A.SMD .58*5.2*4.5mm.AG.SMTDR54N- 3R3M	AG	SMTDR54N- 3R3M	E201757,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCON N.AS0B126-S99N-4F	FOXCONN	AS0B126- S99N-4F	E93750 UL94V-0,
1907889002	PCB.MPC-8890.Rev A1.0.8 Layers Green	HIPER	1907889002	E224709
1651611990	(TF)ZIF mPGA478M SKT.SMD.W/O A1&B2 for PENTIUM-M.AMP.3-1674770-2	AMP	3-1674770-2	E28476,
1654030001	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch =1.25mm.W/Reinforcem.SPEED TECN.W01@103-303M	SPEED TECN	W01@103- 303M	E192672,
1211101569	(TF)COIL.1.5uH.20%.DCR=3.4mO hm.Idc=23A.13.8*12.8mm.SMD.G OTREND.GSTC135P-1R5MF	GOTREND	GSTC135P- 1R5MF	E840811
1750220323	(TF)Battery Holder.CR2032 DIP.Straight.LOTES.KB7566BP5L	LOTES	KB7566BP5L	E135714 V-0,
1651592492	(TF)DDR SKT.184P.DIP.FOXCONN.AT0921 1-D5-4F	FOXCONN	AT09211-D5- 4F	E93750,
1750119011	(TF)BATTERY.3V.200mA.SONY. CR2032	SONY	CR2032	MH12566,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011- 100	E192672,2352699(E),

P/N	COMPONENT	MAKER	PART NO.	UL NO.
1655004022	(TF)Wafer BOX.4P.180D.(M).2.54mm.W/LOC K DIP.凱迅.1138-000-04S	CATCH	1138-000-04S	E107536(M) UL94V-0,
1655005021	(TF)WAFER BOX.5P.180D.(M).2.5mm.W/LOC K.DIP.何迪.2503-WS-5	HO-BASE	2503-WS-5	E53898 UL94V-0,E44716 UL94V-2,
1655304020	(TF)WAFER BOX.4P.180D.(M).2.0mm.W/LOC K DIP.凱迅.1192-700-04S	CATCH	1192-700-04S	E132701 UL94V-0,
1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DIP .W/O 1&2&11 pin.凱迅.1121-700- 20SA	CATCH	1121-700- 20SA	E132701 UL94V-0,
1655003000	(TF)WAFER.3P.180D.(M).2.54mm. DIP.何迪.A2543WV2-3P	HO-BASE	A2543WV2- 3P	E144544,
1653213220	(TF)BOX HEADER.13*2P.180D.(F).ZIF.P=2. 0mm.for DIP FDD.威祈.BL106-	威祈	BL106-26S	E102861(S) UL94V-0,
1653006100	(TF)PIN HEADER.6*1P.180D.(M).2.54mm. DIP	JIH VEI	21B12564- XXS10B-01G- 6/3 series	E107536 UL94V-0,
1653005200	(TF)PIN HEADER.5*2P.180D.(M).2.54mm. DIP	JIH VEI	21B22504- XXS10B-01G- 6/3-VXX series	E107536 UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOC K DIP.凱迅.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1654530300	(TF)D-SUB H/D Connector.30P.90D.UP 15P(F) DOWN 3 Port Audio.FOXCONN.DV1125F-PJ1	FOXCONN	DV1125F-PJ1	E205196 V-0,E59481 V-0,
M168100000	(TF)Metal.Al.Heatsink 37.5*37.4*29mm.PCM-8100.兌 軒.SPS373729A	SPRING SPREAD	SPS373729A	E151287(M),
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm .DIP W/O PIN20(Blue).凱迅.1137- 020-40SA	CATCH	1137-020- 40SA	E107536(A) UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.D IP	JIH VEI	21B22050- XXS10B-01G- 4/2.8 series	E107536 UL94V-0,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm. DIP	ASTRON	27-0103-1XX- 1G Series	E107536 UL94V-0,

P/N	COMPONENT	MAKER	PART NO.	UL NO.
1654612304	(TF)MINI DIN.6/6P.90D(F).DIP.Kb/Ms for PC99 CONNECTOR.CONTEK.MBN266 1F2G401	CONTEK	MBN2661F2G 401	E130155(M) UL94V-0,
1654543500	(TF)D-SUB H/D Connector.43P.90D.UP 25P(F) DOWN 9/9P(M) PC99.FOXCONN.DM11351-PZ5-	FOXCONN	DM11351- PZ5-4F	E93750 UL94V-0,
1654907000	(TF)SATA CONNECTOR.7P.180D(M).FOXC ONN.LD1807F-S13P	FOXCONN	LD1807F- S13P	E93750 UL94V-0 ,
1653222200	(TF)BOX HEADER.22*2P.180D.(M).2.0mm. DIP.凱迅.1147-000-44S	CATCH	1147-000-44S	E132701 UL94V-0 ,
1653300100	(TF)MINI JUMPER.(YELLOW)	JIH VEI	275100Z- OPS60B-01G-	E107536(M) UL94V-0,E59481,
1653300101	(TF)MINI JUMPER.(RED)	JIH VEI	275100Z- OPS60B-01G-	E107536(M) UL94V-0,E59481,
1653300102	(TF)MINI	HO-BASE	MJ-2.0B	E59481 UL94V-0,
1654260207	(TF)SLOT.60*2P.180D.(F).DIP.FO XCONN.EH06001-HHW-DF	FOXCONN	EH06001- HHW-DF	E172082,E93750,
1652522203	(TF)PHONE JACK.22P.90D.(F).RJ45+USB STACK 2.0 W/LED W/TF.UDE.RU1-161A1Z1F	UDE	RU1- 161A1Z1F	E130155,E235269,E47960,
1655306020	(TF)WAFER BOX.6P.180D.(M).2.0mm.W/LOC K DIP.凱迅.1192-700-06SA	CATCH	1192-700- 06SA	E132701 UL94V-0,