

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216PE-900T	E840811,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9*7P).PRECIDIP(LEASONIC).PLCC-L-32F-9-D	PRECIDIP(LEASONIC)	PLCC-L-32F-9-D	E53829,
1651592492	(TF)DDR SKT.184P.DIP.FOXCONN.AT09211-D5-4F	FOXCONN	AT09211-D5-4F	E93750,
1652508204	(TF)PHONE JACK.8P.180D.(F).RJ45 with ALL SHIELD DIP.KINSUN.3017615508	KINSUN	3017615508	E153135(S) UL94V-0,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	Astron	27-01031XX-1G	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003201	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.DIP	JVE	21B22050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653005100	(TF)PIN HEADER.5*1P.180D.(M).2.54mm.DIP	JVE	21B12564-XXS10B-01G-6/3	E107536 UL94V-0,
1653005200	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP	JVE	21B22564-XXS10B-01G-6/3-VXX	E107536 UL94V-0,
1653207209	(TF)BOX HEADER.7*2P.180D.(M).2.00mm.Narrow Frame.DIP.Astron.26-4101-207-1G-R	Astron	26-4101-207-1G-R	E82579,
1653220208	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP W/O PIN20(Blue).凱迅.1137-020-40SA	CATCH	1137-020-40SA	E107536(A) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B-01G-Y	E107536(M) UL94V-0,E59481,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653300101	(TF)MINI JUMPER.(RED)	JVE	27S1002-OPS60B-01G-R	E107536(M) UL94V-0,E59481,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>HO-BASE 2=>JVE	1=>MJ-2.0B 2=>27S1001-OPS35-01G	E59481 UL94V-0,E248993 UL V94-0/E107536,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699 (E),
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-	SPEED TECH	N016@0140-104+N01P4011-0099	E192672,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.E-call.0110-01-553-300	E-call	0110-01-553-300	E113875,
1654040002	(TF)Board-Wire Connector.40P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.億舟.0110-01-553-400	E-call	0110-01-553-400	E113875,
1654260207	(TF)SLOT.60*2P.180D.(F).DIP.FOXCONN.EH06001-HHW-DF	FOXCONN	EH06001-HHW-DF	E172082,E93750,
1655003010	(TF)WAFER.3P.180D.(M).2.54mm.DIP.CATCH H.1190-700-03S	CATCH	1190-700-03S	E119177(M) UL94V-0,
1655305020	(TF)WAFER BOX.5P.180D.(M).2.0mm.W/LOCK DIP.CATCH.1192-700-05S	CATCH	1192-700-05S	E132701 UL94V-0,
1655306023	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP.何迪.2005-2WS-6	HO-BASE	2005-2WS-6	E107538(M),
1655420020	(TF)ATX POWER CONNECTOR.10P*2.180D.DIP.CATCH.1121-700-20S	CATCH	1121-700-20S	E132701 UL94V-0,
1750119011	(TF)BATTERY.3V.200mA.SONY.CR2032	SONY	CR2032	MH12566,
1750220320	(TF)Battery Holder.CR2032.LOTES.KB6615BP5L	LOTES	KB6615BP5L	E59481,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206 L110WR	Littlefuse	1206L110WR	E183209,

TF-PCM-5895-B10

Date:2008/07/25

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1907589522	(TF)PCB.PCM-5895B.Rev.B1.0.6Layers Green	EVERLAST WIN		E216522 UL 94V-0,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
121110336L	(TF)COIL.3.3uH.SMD.7.3*6.8*3.0mm.DCR=28m ohm.Irms=6Amp.GOTREND.GSTC063P-3R3MN	GOTREND	GSTC063P-3R3MN	E84081,
165320520E	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.DIP.CATC H.1147-000-10-SS	CATCH	1147-000-10-SS	E107536,
165320820G	(TF)BOX HEADER.8*2P.180D.(M).2.0mm.Narrow Frame.DIP.Astron.26-4101-208-1G-R	Astron	26-4101-208-1G-R	E52579
165321320G	(TF)BOX HEADER.13*2P.180D(M).2.0mm.DIP.Astron.26-4101-213-1G-R	Astron	26-4101-213-1G-R	E52579
165322020M	(TF)BOX HEADER.20*2P.180D(M).2.0mm DIP.Astron.26-4101-220-1G-R	Astron	26-4101-220-1G-R	E52579
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).ADVANCED ACOUSTIC.AC-903Q-P2-LF	ADVANCED ACOUSTIC	AC-903Q-P2-LF	E45587,
M16540I000	(TF)Metal.Al.Heat Sink.41.4*43.7*6.TF-PFM-540I.兌軒.SPR04106BT01	SPRING SPREAD	SPR04106BT01	E41938,