

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
1907815202	(TF)PCB.PCM-8152.Rev.A1.0.8Layers Green	HIPER		E224709
1653925216	(TF)Compact Flash Header.25*2P.90D.SMD.1.27mm pitch.for TypeII.SPEED TECH.N016@0140-004	SPEED TECH	N016@0140-004	E192672,
1653207205	(TF)BOX HEADER.7*2P.180D.(M).2.00mm.W/Cap.SM D.Astron.26-4304-207-1G-TB1-R	Astron	26-4304-207-1G-TB1-R	E52579(M) UL94V-0,
1654030001	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Reinforcem.SPEED TECH.W01@103-303M	SPEED TECH	W01@103-303M	E192672,
1653210204	(TF)BOX HEADER.10*2P.180D.(M).2.00mm.W/Cap.SM D.Astron.26-4304-210-1G-TB1-R	Astron	26-4304-210-1G-TB1-R	E52579(M) UL94V-0,
165322020B	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.SMD.W/Cap.Astron.26-03-220-1G-TB1-R	Astron	26-03-220-1G-TB1-R	E52579(M) UL94V-0,
1653205205	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.W/Cap.SM D.Astron.26-4304-205-1G-TB1-R	Astron	26-4304-205-1G-TB1-R	E52579(M) UL94V-0,
165321720A	(TF)BOX HEADER.17*2P.180D.(M).2.00mm.W/Cap.SM D.Astron.26-4304-217-1G-TB1-R	Astron	26-4304-217-1G-TB1-R	E52579(M) UL94V-0,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1653003202	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.SMD.W/Cap.Astron.27-24041-203-1G-TB1-R	Astron	27-24041-203-1G-TB1-R	E52579 UL94V-0,E391376 UL94V-0,
1653213208	(TF)BOX HEADER.13*2P.180D.(M).2.00mm.W/Cap.SM D.Astron.26-4304-213-1G-TB1-R	Astron	26-4304-213-1G-TB1-R	E52579(M) UL94V-0,
1654262300	(TF)MINIPCI SLOT.124P.90D(F).SMD.FOXCONN.AS0B126-S99N-4F	FOXCONN	AS0B126-S99N-4F	E93750 UL94V-0,
1750220323	(TF)Battery Holder.CR2032 DIP.Straight.LOTES.KB7566BP5L	LOTES	KB7566BP5L	E135714 V-0,
1750119011	(TF)BATTERY.3V.200mA.SONY.CR2032	SONY	CR2032	MH12566,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.凱迅.1201-700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-0,
1653900034	(TF)Compact Flash Header.1.27mm.Ejector for Type II.SPEED TECH.N003@0011-100	SPEED TECH	N003@0011-100	E192672,2352699(E),
1653204205	(TF)BOX HEADER.4*2P.180D.(M).2.0mm.DIP.Astron.26-41-204-1G-R	Astron	26-41-204-1G-R	E52579,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO.
1655417020	(TF)ATX POWER CONNECTOR.10P*2.180D(M).DIP.W/O 1&2&11 pin.凱迅.1121-700-20SA	CATCH	1121-700-20SA	E132701 UL94V-0,
1653003207	(TF)PIN HEADER.3*2P.180D.(M).2.54mm.DIP.Astron. 27-0103-203-1G-R	Astron	27-0103-203-1G-R	E107536,
1653005100	(TF)PIN HEADER.5*1P.180D.(M).2.54mm.DIP	JVE	21B12564-XXS10B-01G-6/3	E107536 UL94V-0,
1653005207	(TF)PIN HEADER.5*2P.180D.(M).2.54mm.DIP.Astron. 27-0103-205-1G	Astron	27-0103-205-1G	E107536,
1651592492	(TF)DDR SKT.184P.DIP.FOXCONN.AT09211-D5-4F	FOXCONN	AT09211-D5-4F	E93750,
165322020D	(TF)BOX HEADER.20*2P.180D.(M).2.54mm.DIP.W/O PIN20(Blue).Astron.26-0102-220L-1G-A-R	Astron	26-0102-220L-1G-A-R	E107536,
'1653002104	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP.Astron.27-2101-102-1G-R	Astron	27-2101-102-1G-R	E107536,
1653003100	(TF)PIN HEADER.3*1P.180D.(M).2.54mm.DIP	JVE	27-01031XX-1G Series	E107536 UL94V-0,
1652508204	(TF)PHONE JACK.8P.180D.(F).RJ45 with ALL SHIELD DIP.慶陞.3017615501	慶陞	3017615501	E153135(S) UL94V-0,
121110010Y	(TF)COIL.1uH.+/- 25%.DCR=0.08Ohm.Idc=20A.Wire Size=0.6*3mm*7.5TS.DIP.GOTREND.C5008P-06C07YDPS	GOTREND	C5008P-06C07YDPS	E218438,
121110336G	(TF)Coil.3.3uH.+/- 20%.DCR=0.0075Ohm.Idc=10A.Wire Size=0.8mm.DIP.GOTREND.C4452P-08A09YDPS	GOTREND	C4452P-08A09YDPS	E218438,E84081,
1211100963	(TF)INDUCTOR.0.9uH.20%.DCR=4mOhm 18A.9*22mm.TRIO.LF-90BM58101	TRIO	LF-90BM58101	E85640,E201757
1654260207	(TF)SLOT.60*2P.180D.(F).DIP.FOXCONN.EH06001-HHW-DF	FOXCONN	EH06001-HHW-DF	E172082,E93750,
1653132220	(TF)PCB SKT.32*2P.180D.(F).Holder=11.00mm P=3.40mm DIP 凱迅.1232-251-64	CATCH	1232-251-64	E107536A UL94V-0,
1653120225	(TF)PCB SKT.20*2P.180D.(F).Holder=11.00mm P=3.40mm.DIP.凱迅.1232-251-40	CATCH	1232-251-40	E107536A UL94V-0,
P/N	DESCRIPTION	MAKER	PART NO.	UL NO.

165320820C	(TF)BOX HEADER.8*2P.180D.(M).2.54mm.DIP.Astron. 26-01-208-1G-R	Astron	26-01-208-1G-R	E130155(M) UL94V-0,
1653300100	(TF)MINI JUMPER.(YELLOW)	JVE	27S1002-OPS60B- 01G-Y	E107536(M) UL94V- 0,E59481,
1653300101	(TF)MINI JUMPER.(RED)	JVE	27S1002-OPS60B- 01G-R	E107536(M) UL94V- 0,E59481,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	HO-BASE	MJ-2.0B	E59481 UL94V-0,
M166666004	(TF)Metal.Al.Heat Sink.Silver.60*60*25mm.百 翔.CMFA0260602504-00	百翔	CMFA0260602504- 00	E125972 UL94VTM-0,
175910000B	(TF)BUZZER.DIP.80mA.85dB(P-P=4mm).苙 翔.AC-903Q-P2-LF	苙翔	AC-903Q-P2-LF	E45587,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,