

TF-PFM-535S-A10

DATE: 14-Aug-09

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
121110100T	(TF)COIL.10uH.20%.SMD.5 x 5.5 x 3mm.DCR=90m ohm.Irms=1.33Amp.GOTREND.GTSD53P-100M	GOTREND	GTSD53P-100M	E258243,
121110226D	(TF)COIL.2.2uH.20%.SMD.5 x 5.5 x 3mm.DCR=29m ohm.Irms=2.41Amp.GOTREND.GTSD53P-2R2M	GOTREND	GTSD53P-2R2M	E258243,
1214309006	(TF)Common Choke.4P.90 Ohm(100Mhz).2.0*1.2mm .SMD.GOTREND.GTHW2012PE-900T	GOTREND	GTHW2012PE-900T	E218438 / E84081,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
1653002101	(TF)PIN HEADER.2*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050-XXS10B-01G-4/2.8	E107536 UL94V-0,
1653003209	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.SMD.H:5mm	JVE	21N22050-XXM10B-01G-5/1-C	E52579,
165300420H	(TF)PIN HEADER.4*2P.180D.(M).2.0mm.SMD.H:5mm	JVE	21N22050-XXM10B-01G-5/1-C	E52579,
165312022B	(TF)VarPol PC/104 CONNECTOR.40P.180D.(F).DIP.E-call Enterprise.0161-2320400	E-call Enterprise	0161-2320400	E107536,
1653130429	(TF)PCB SKT.30*4P.180D.(F).DIP.for PC/104 Plus.Holder=9.35mm.P=11.99mm.E-call.0706-07-264-120	E-call	0706-07-264-120	E90350 V-0,E182000,
165313222A	(TF)VarPol PC/104 CONNECTOR.64P.180D.(F).DIP.E-call Enterprise.0161-2320640	E-call Enterprise	0161-2320640	E107536,
165320520C	(TF)BOX HEADER.5*2P.180D.(M).2.0mm.SMD.CATCH.1147-000-10MSP	CATCH	1147-000-10MSP	E52579(M) 94V-0,
165320820D	(TF)BOX HEADER.8*2P.180D.(M).2.0mm.SMD.凱迅.1147-000-16MSP	CATCH	1147-000-16MSP	E52579(M) 94V-0,
1653213207	(TF)BOX HEADER.13*2P.180D.(M).2.0mm.W/Cap SMD.凱迅.1147-000-26MP	CATCH	1147-000-26MP	E132701 UL94V-0 ,

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
165322020P	(TF)BOX HEADER.20*2P.180D.(M).SMD.W/Cap.JVE.23N6850-40M00B-01G-7.6-C	JVE	23N6850-40M00B-01G-7.6-C	
1653222208	(TF)BOX HEADER.22*2P.180D.(M).2.0mm.W/Cap SMD.CATCH.1147-000-44MP	CATCH	1147-000-44MP	E132701 UL94V-0 ,
1653300102	(TF)MINI JUMPER.2.0mm.(BLACK)	1=>JVE 2=>HO-BASE	1=>27S1001-OPS35-01G 2=>MJ-2.0B	E59481 UL94V-0,E248993 UL
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEI.27S1001-OPS35-01G-R	JIH VEI	27S1001-OPS35-01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040-02	CATCH	1133-040-02	E107536(M),
1653925210	(TF)COMPACT FLASH HEADER.25P*2.90D.SMD for SanDisk.3M.N7E50-7516PK-20	3M	N7E50-7516PK-20	E68080,
1654040002	(TF)Board-Wire Connector.40P.180D(M).SMD.Pitch=1.25mm.W/Reinf orcem.億舟.0110-01-553-400	E-CALL	0110-01-553-400	E113875,
1655004124	(TF)WAFER.4P.90D.(M).2.54mm.W/LOCK DIP.CATCH.1191-701-04R	CATCH	1191-701-04R	E53898,
1655306024	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP.CATCH.1192-710-06S	CATCH	1192-710-06S	E53898,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E41938 V-2,
1655908130	(TF)WAFER BOX.8P.180D.(M).1.25mm.CATCH.1201-700-08S	CATCH	1201-700-08S	E41938 V-2,
1655910131	(TF)WAFER BOX.10P.180D.(M).1.25mm.CATCH.1201-700-10S	CATCH	1201-700-10S	E41938 V-2,
1700060152	(TF)Cable.6P 2.0mm Housing.W/O NOSE.6P MDM-6S KB&MS.15cm	CATCH	A003-288	E48762(S),E75077 ULVW-1,E132701 UL94V-0,
1701160201	(TF)FLAT CABLE.15P DB15S FEMALE.16P 2.0mm Pitch Housing.20cm.W/Nose 凸點	CATCH	A003-041	UL2651 VW-1,E107536(M) UL94V-0,

TF-PFM-535S-A10

DATE: 14-Aug-09

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1701440500	(TF)Flat Cable.44P 2.0mm Pitch Housing.40P 2.54mm Pitch IDC.40P 2.54mm Pitch IDC.30+20cm	1=>CATCH 2=>HO-BASE	1=>A002-012 2=>1701440500	UL2651 VW-1,E107536(M) UL94V-0,E72332,E107536(M) UL94V-0,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8-LF	MH12568(N),E255532,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110W	Littlefuse	1206L110WR	E183209,
1907535S02	(TF)PCB.PFM-535S.Rev.A1.0.8Layers Green	K-BRIDGE		E120558
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.益峯.PAD 15*15*1T	INVIN	PAD 15*15*1T	E153203,