

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1211000180	(TF)COIL.1uH.+/- 20%.SMD.7.3*6.8*3.0mm.DCR=9mohm.Irms=11A mp.GOTREND.GSTC063P-1R0MN	GOTREND	GSTC063P- 1R0MN	E84081,
1211101066	(TF)COIL.1.0uH.± 20%.SMD.4.5x4x2mm.DCR=27m	VISHAY	IHLP1616BZER1R0M11	E32638,
121110336L	(TF)COIL.3.3uH.SMD.7.3*6.8*3.0mm.DCR=28m ohm.Irms=6Amp.GOTREND.GSTC063P-3R3MN	GOTREND	GSTC063P- 3R3MN	E84081,
121110336P	(TF)COIL.5.5uH.± 20%.SMD.4.5x4x2mm.DCR=89.3m ohm.Idc=2.7Amp.VISHAY.IHLP1616BZER3R3M11	VISHAY	IHLP1616BZER3R3M11	E32638,
1214309000	(TF)Common Choke.4P.90 Ohm(100Mhz) 3.2*1.2mm SMD.GOTREND.GTHW3216PE-900T	GOTREND	GTHW3216PE- 900T	E840811,
1315970110	(TF)PWR.SMD.SOT-25 High-Side Switch.RICHTEK.RT9701PBL	RICHTEK	RT9701PBL	E219878,
1315970211	(TF)PWR.SMD.SOT-25 1.1A.High-Side Switch wit Flag.RICHTEK.RT9702A-PB	RICHTEK	RT9702A-PB	E219878,
1651203291	(TF)IC SKT PLCC.SMD.32P(9P*7P).PRECI- DIP(LEASONIC).PLCC-L-32F-9-D	PRECI-DIP(LEASONIC)	PLCC-L-32F-9- D	E53829,
1653003101	(TF)PIN HEADER.3*1P.180D.(M).2.0mm.DIP	JVE	21B12050- XXS10B-01G- 4/2.8	E107536 UL94V-0,
1653003202	(TF)PIN HEADER.3*2P.180D.(M).2.0mm.SMD.W/Cap.Astr on.27-24041-203-1G-TB1-R	Astron	27-24041-203- 1G-TB1-R	E52579 UL94V- 0,E391376 UL94V-0,
1653016100	(TF)PIN HEADER.16*1P.90D.(M).2.54mm.DIP.W/O	Astron	27-0402H-116- 1G-A-R	E52579,
1653130429	(TF)PCB SKT.30*4P.180D.(F).DIP.for PC/104 Plus.Holder=9.35mm.P=11.99mm.E-call.0706-07- 264-120	E-call	0706-07-264- 120	E90350 V- 0,E182000,
1653205205	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.W/Cap.SMD.As tron.26-4304-205-1G-TB1-R	Astron	26-4304-205- 1G-TB1-R	E52579(M) UL94V-0,
1653222209	(TF)BOX HEADER.22*2P.180D.(M).2.00mm.W/Cap.SMD.A stron.26-4304-222-1G-TB1-R	Astron	26-4304-222- 1G-TB1-R	E52579(M) UL94V-0,
1653300107	(TF)MINI JUMPER.2.0mm.(RED).JIH VEL.27S1001-0PS35-01G-R	JIH VEI	27S1001-0PS35- 01G-R	E59481,
1653300108	(TF)MINI JUMPER..2.0mm.(YELLOW).CATCH.1133-040-	CATCH	1133-040-02	E107536(M),

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1653925210	(TF)COMPACT FLASH HEADER.25P*2.90D.SMD for	3M	N7E50-7516PK- 20	E68080,
1654030003	(TF)Board-Wire Connector.30P.180D(M).SMD.Pitch=1.25mm.W/Re inforcem.E-call.0110-01-553-300	E-call	0110-01-553- 300	E113875,
1655004124	(TF)WAFER.4P.90D.(M).2.54mm.W/LOCK DIP.CATCH.1191-701-04R	CATCH	1191-701-04R	E53898,
1655306024	(TF)WAFER BOX.6P.180D(M).2.0mm.W/LOCK DIP.CATCH.1192-710-06S	CATCH	1192-710-06S	E53898,
1655902030	(TF)WAFER BOX.2P.180D.(M).1.25mm.CATCH.1201-700-02S	CATCH	1201-700-02S	E119177 (M) UL94V-0,
1700060152	(TF)Cable.6P 2.0mm Housing.W/O NOSE.6P MDM-6S KB&MS.15cm	CATCH	A003-290	E48762(S),E7 5077 ULVW- 1,E132701 UL94V-0,
1701160201	(TF)FLAT CABLE.15P DB15S FEMALE.16P 2.0mm Pitch Housing.20cm.W/Nose 凸點	CATCH	A003-041	UL2651 VW- 1,E107536(M) UL94V-0,
1701440500	(TF)Flat Cable.44P 2.0mm Pitch Housing.40P 2.54mm Pitch IDC.40P 2.54mm Pitch IDC.30+20cm	1=>HO-BASE 2=>CATCH	1=>1701440500 2=>A002-012	UL2651 VW- 1,E107536(M) UL94V- 0,E72332,E10 7536(M) UL94V-0,
1752001601	(TF)FUSE.SMD.6V.1.1A.1206.Littlefuse.1206L110 WR	Littlefuse	1206L110WR	E183209,
1998666626	(TF)Thermal Pad.15*15*1.0mm.PFM-532I.兌 軒.PAD 15*15*1T	SPRING SPREAD	PAD 15*15*1T	E153203,
9657666600	(TF)Accessory.for All Series Jumper	CATCH	9657666600	E107536(M) 94V-0,
16515A0995	(TF)DDR SODIMM SKT.SMD.200P.H=6.5mm.FOXCONN.AS0A426- E6RN-4F	FOXCONN	AS0A426- E6RN-4F	E93750/E937 50,
165320520G	(TF)BOX HEADER.5*2P.180D.(M).2.00mm.W/Cap.Narrow Frame.SMD.Astron.26-4401-205-1G-1-R	Astron	26-4401-205- 1G-1-R	E52579,
165320820F	(TF)BOX HEADER.8*2P.180D.(M).2.00mm.W/Cap.Narrow Frame.SMD.Astron.26-4401-208-1G-1-R	Astron	26-4401-208- 1G-1-R	E52579,
175011901C	(TF)BATTERY.3V.MAXELL.CR2032M1S8-LF	MAXELL	CR2032M1S8- LF	MH12568(N), E255532,

TF-PFM-800P-A12

Date:2008/07/01

P/N	DESCRIPTION	MAKER	PART NO.	UL NO./ Flame Class
1907800P04	(TF)PCB.PFM-800P.Rev.A1.2.10Layers Green	K-BRIDGE		E120558,
9681800P00	(TF)Cable Kit.for PFM-800P	CATCH	A003-467	UL2651 VW-1,E107536(M) UL94V-0,
M16800P001	(TF)Metal.Al.Heat Sink.82*81.5*9.75mm.Rev.0.0.for PFM-800P.兌	SPRING SPREAD	SPS08210AT01	E41938,